

**Programmatic Biological Assessment Species Consistency Evaluation Form  
Upper Great Plains Region Wind Energy Development Program  
Impact Information and Consistency Determination**

**Northern long-eared bat (*Myotis septentrionalis*)**

Project Name: \_\_\_\_\_

Company: \_\_\_\_\_

**Best Management Practices**

- All general BMPs, as stated in the final *Programmatic Environmental Impact Statement for the Upper Great Plains Region Wind Energy Program* and table 4.5-1 of the final *Programmatic Biological Assessment for the Upper Great Plains Region Wind Energy Program*, will be implemented where appropriate, during each phase of the project (i.e., site characterization, construction, operations, and decommissioning). Although not all-inclusive, several of the more important BMPs for the conservation of this species follow.
- Activities with continuous periods (i.e., longer than 24 hours) of noise disturbances greater than 75 db measured on the A scale (e.g., loud machinery) should be avoided within a 1-mi (1.6-km) radius of known or assumed northern long-eared bat hibernacula.
- Restrict use of herbicides for vegetation management near known or assumed northern long-eared bat hibernacula to those specifically approved for use in karst (e.g., sinkholes) and water (e.g., streams, ponds, lakes, wetlands).
- Avoid clearing of suitable habitat (spring staging, fall swarming, summer roosting) within a 5-mile (8.0 km) radius of known or assumed northern long-eared bat hibernacula. Retain snags, dead/dying trees, and trees with exfoliating (loose) bark  $\geq 3$ -in. (7.6-cm) diameter at breast height (dbh) in areas  $\leq 1$  mi (1.6 km) from water.
- Develop and implement a Bird and Bat Conservation Strategy (BBCS) as described in the *Land-Based Wind Energy Guidelines* that includes survey protocols acceptable to the USFWS in the project area during the spring and fall bird and bat migration seasons. Mortality monitoring will help to identify individual turbines that contribute to avian and bat mortality. This information could be used to provide design layout information for future wind development projects and to reduce the potential for future avian and bat mortality.

**Species-Specific Avoidance Measures**

- Throughout the range of the northern long-eared bat within the UGP Region, conduct preconstruction evaluations and/or surveys to identify suitable foraging, roosting, and commuting habitat within project boundaries and to identify the distance from project boundaries to hibernacula known/presumed used by northern long-eared bats. Disturbance of hibernacula is prohibited throughout the year.
- Avoid all suitable habitat (do not site turbines) in areas within 5 mi (8 km) of hibernacula used by northern long-eared bats or within 0.5 mi (0.8 km) of known or presumed occupied foraging, roosting, and commuting habitat. Habitat evaluations should be coordinated with the local USFWS Ecological Services Office prior to or during turbine site planning.

**Species-Specific Minimization Measures**

- A robust survey developed and implemented as part of the BBCS program, consistent with the Wind Energy Guidelines and approved by the USFWS during the preconstruction evaluation and survey stage, will be implemented for a minimum of 1 yr preconstruction.
- The need for implementation of cut-in speeds higher than manufacturers' recommendations during the fall bat migration period will be based on the following site-specific, project-by-project risk assessments by the State Ecological Services Field Office of the USFWS:
  - During the preconstruction evaluation and survey stage, and based on a collision risk assessment of location of the project, proximity to potential summer habitat, distance to known occurrences, distance to known hibernacula, and suspected migration patterns, the applicant will coordinate with Western, Refuges, and the local Ecological Services Field Offices of the USFWS to determine if the risk of injury or mortality is sufficiently high to warrant higher cut-in speeds.
  - In the event that preconstruction surveys indicate species occurrence or occupancy of habitat adjacent to the project area, higher turbine cut-in speeds will be required to offset the increased risk for injury or mortality. The monitoring must be rigorous enough to meet standards acceptable to the local USFWS State office.
  - When warranted by either of the two aforementioned conditions for specific projects, turbine cut-in speeds will be increased to 16.4 ft/sec (5.0 m/sec) or greater from 0.5 hour before sunset to 0.5 hour after sunrise during the fall migration period (generally August 15–October 15, but consult with the USFWS for the established migration dates in each State) for northern long-eared bats in the western and central areas of the UGP Region. In the eastern fringe of the UGP Region, a minimum cut-in speed of 22.6 ft/sec (6.9 m/sec) from 0.5 hour before sunset to 0.5 hour after sunrise during the fall migration period (generally August 15–October 15, but consult with the USFWS for established migration dates in each State) for northern long-eared bats is required. Areas within the UGP Region that occur east of the western borders of Minnesota and Iowa will be used as the line of demarcation where the minimum cut-in speed of 22.6 ft/sec (6.9 m/sec) will be used. Use of feathering below the respective cut-in speed of 16.4 ft/sec (5.0 m/sec) or 22.6 ft/sec (6.9 m/sec) will also be implemented at night during the fall migration season to eliminate turbine rotation and avoid mortality of migrating northern long-eared bats. Increased cut-in speed and feathering can be suspended from 0.5 hour after sunrise to 0.5 hour before sunset.
- Immediately report observations of northern long-eared bat mortality to the appropriate USFWS office.

