APPENDIX E

DATA TABLES SACRAMENTO PASS MITIGATION REROUTE

TABLE INDEX

TABLE 1 EARTH RESOURCES - Ground Disturbance Impacts to Soils 1

TABLE 2 EARTH RESOURCES - Ground Disturbance Impacts to Water Resources 3

TABLE 3 BIOLOGICAL RESOURCES - Ground Disturbance Impacts to Sensitive Animal Species 6

TABLE 4 BIOLOGICAL RESOURCES - Public Access Impacts to Sensitive Animal Species . . 8

TABLE 5 BIOLOGICAL RESOURCES - Ground Disturbance to Sensitive Plant Species 11

TABLE 6 BIOLOGICAL RESOURCES - Public Access Impacts to Sensitive Plant Species . . 13

TABLE 7 LAND USE RESOURCES - Ground Disturbance Impacts to Parks, Recreation & Preservation Areas 15

TABLE 8 LAND USE RESOURCES - Existing & Planned Landuse 17

TABLE 9 LAND USE RESOURCES - Landuse Jurisdiction 19

TABLE 10 LAND USE RESOURCES - Impacts to Military Operating Areas 20

TABLE 11 VISUAL RESOURCES - Visual Impacts to Residences 21

TABLE 12 VISUAL RESOURCES - Visual Impacts to Recreation Viewsheds (High Sensitivity) 24

TABLE 13 VISUAL RESOURCES - Visual Impacts to Recreation Viewsheds (Moderate Sensitivity) 27

TABLE 14 VISUAL RESOURCES - Visual Impacts to Transportation Viewsheds (High Sensitivity) 30

TABLE 15 VISUAL RESOURCES - Visual Impacts to Transportation Viewsheds (Moderate Sensitivity) 33

TABLE 16 VISUAL RESOURCES - Visual Impacts to Scenic Quality 36

TABLE 17 VISUAL RESOURCES - Compliance with Agency Visual Management 39

TABLE 18 CULTURAL RESOURCES - Ground Disturbance Impacts to Cultural Resources . . 42

TABLE 19 CULTURAL RESOURCES - Public Access Impacts to Cultural Resources 44

TABLE 20 CULTURAL RESOURCES - Ground Disturbance Impacts to Predicted Cultural Resources Sensitivity Zones 46

TABLE 21 CULTURAL RESOURCES - Visual Impacts to Sensitive Cultural Resources 49

Legend for Reading Data Tables

Column 1 indicates the beginning of the milepost for the indicated link

Column 2 indicates the ending of the milepost description for the indicated link

Column 3 indicates the length of each description

Column 4 describes the resource along each length indicated in columns 1-3

Column 5 indicates the potential ground disturbance/access level (refer to pages 2-35 and 2-36 of the DEIS/DPA.

Column 6 indicates the initial impact (i.e., impact before specific mitigation was committed). 1 = No-identifiable Impact; 2 = Low Impact; 3 = Moderate Impact; 4 = High Impact (refer to page 4-2 of the DEIS/DPA for a description of the impact levels).

Column 7 indicates the specific mitigation measure applied to reduce the initial impacts (refer to Table 1-5 of this document).

Column 8 indicates the residual impact (i.e., the impact expected to remain following the application of mitigation measures). 1 = No-identifiable Impact; 2 = Low Impact; 3 = Moderate Impact; 4 = High Impact (refer to page 4-2 of the DEIS/DPA for a description of the impact levels).

TABLE 1
EARTH RESOURCES

Ground Disturbance Impacts to Soils

MILE POST FROM	TO	LENGTH	SOIL RESOURCES	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 460.							
0.0	0.2	0.2	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
0.2	0.3	0.1	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
0.3	0.8	0.5	HIGH HAZARD WATER EROSION	LEVEL 2	2.	0.	2.
0.8	0.9	0.1	HIGH HAZARD WATER EROSION	LEVEL 3	3.	2.	2.
0.9	3.1	2.2	HIGH HAZARD WATER EROSION	LEVEL 2	2.	0.	2.
3.1	4.0	0.8	HIGH HAZARD WATER EROSION	LEVEL 4	4.	24.	2.
4.0	4.0	0.1	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
4.0	4.2	0.1	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
Link 461.							
0.0	0.0	0.0	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
0.0	0.5	0.4	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
0.5	1.5	1.0	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
1.5	2.4	1.0	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
2.4	4.0	1.5	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
4.0	4.5	0.5	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
4.5	4.8	0.3	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
4.8	4.9	0.2	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
4.9	7.0	2.0	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
7.0	7.4	0.4	HIGH HAZARD WATER EROSION	LEVEL 3	3.	2.	2.
7.4	7.7	0.3	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
7.7	7.9	0.2	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
7.9	8.0	0.1	HIGH HAZARD WATER EROSION	LEVEL 3	3.	2.	2.
8.0	8.1	0.1	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
8.1	8.2	0.1	HIGH HAZARD WATER EROSION	LEVEL 3	3.	2.	2.
8.2	8.5	0.3	HIGH HAZARD WATER EROSION	LEVEL 4	4.	24.	2.
8.5	8.8	0.4	HIGH HAZARD WATER EROSION	LEVEL 3	3.	2.	2.
8.8	9.4	0.6	HIGH HAZARD WATER EROSION	LEVEL 4	4.	24.	2.
9.4	9.8	0.4	HIGH HAZARD WATER EROSION	LEVEL 3	3.	2.	2.
9.8	9.9	0.1	HIGH HAZARD WATER EROSION	LEVEL 2	2.	0.	2.
9.9	10.5	0.7	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
10.5	11.4	0.9	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
Link 463.							
0.0	0.2	0.2	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
0.2	0.7	0.6	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
0.7	1.0	0.3	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
1.0	1.0	0.0	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
1.0	1.1	0.1	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
1.1	2.8	1.7	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
2.8	4.5	1.7	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
4.5	4.8	0.3	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
Link 464.							
0.0	0.1	0.1	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
0.1	2.5	2.4	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
2.5	2.5	0.0	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
2.5	2.8	0.2	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
2.8	4.0	1.2	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
Link 465.							
0.0	0.1	0.1	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
0.1	0.4	0.3	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
0.4	0.6	0.2	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
0.6	1.3	0.7	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
1.3	1.6	0.4	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
1.6	1.8	0.2	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
1.8	2.0	0.2	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.

TABLE 1 - Ground Disturbance Impacts to Soils (Continued)

MILE POST FROM	TO	LENGTH	SOIL RESOURCES	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 466.							
0.0	0.6	0.6	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
Link 467.							
0.0	0.5	0.5	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
0.5	1.8	1.3	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
1.8	2.5	0.7	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
2.5	4.2	1.7	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
4.2	4.7	0.5	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
4.7	5.6	0.9	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
5.6	6.5	0.9	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
6.5	11.0	4.5	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
11.0	11.2	0.1	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
11.2	11.3	0.1	LOW/MOD WIND/WAT EROS HAZ	LEVEL 1	2.	0.	2.
11.3	11.6	0.4	PRIME FARMLAND	LEVEL 1	2.	0.	2.
11.6	11.8	0.2	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
11.8	11.9	0.1	LOW/MOD WIND/WAT EROS HAZ	LEVEL 1	2.	0.	2.
11.9	12.3	0.4	PRIME FARMLAND	LEVEL 1	2.	0.	2.
12.3	12.6	0.3	LOW/MOD WIND/WAT EROS HAZ	LEVEL 1	2.	0.	2.
12.6	13.0	0.4	PRIME FARMLAND	LEVEL 1	2.	0.	2.
13.0	13.6	0.7	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
Link 468.							
0.0	0.1	0.1	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
0.1	1.5	1.4	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
1.5	2.3	0.9	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
2.3	2.9	0.6	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
Link 469.							
0.0	0.0	0.0	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
0.0	1.5	1.5	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
1.5	2.1	0.6	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
2.1	2.5	0.4	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
Link 471.							
0.0	0.1	0.1	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
0.1	0.9	0.8	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
0.9	1.4	0.5	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
1.4	2.4	1.0	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
2.4	2.7	0.3	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
2.7	3.7	1.0	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
3.7	4.9	1.2	LOW/MOD WIND/WAT EROS HAZ	LEVEL 4	3.	24.	2.
4.9	9.4	4.5	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
9.4	11.4	2.0	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
11.4	11.8	0.4	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
Link 472.							
0.0	0.0	0.0	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
0.0	0.3	0.3	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
0.3	0.7	0.4	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
0.7	0.7	0.1	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
0.7	1.2	0.5	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.
Link 473.							
0.0	0.0	0.0	LOW/MOD WIND/WAT EROS HAZ	LEVEL 3	2.	0.	2.
0.0	1.4	1.4	LOW/MOD WIND/WAT EROS HAZ	LEVEL 2	2.	0.	2.

TABLE 2
EARTH RESOURCES

Ground Disturbance Impacts to Water Resources

MILE POST FROM	TO	LENGTH	WATER RESOURCES	CONT/GR DIST	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
Link 460.								
0.0	0.2	0.2	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
0.2	0.8	0.6	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
0.8	0.9	0.1	INTERMIT STREAM	LEVEL 3	2.	6.	2.	
0.9	3.1	2.2	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
3.1	4.0	0.9	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
4.0	4.2	0.1	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
Link 461.								
0.0	0.0	0.0	SHALLOW GROUNDWATER	LEVEL 3	1.	0.	1.	
0.0	0.5	0.4	SHALLOW GROUNDWATER	LEVEL 2	1.	0.	1.	
0.5	1.5	1.0	SHALLOW GROUNDWATER	LEVEL 3	1.	0.	1.	
1.5	2.1	0.7	SHALLOW GROUNDWATER	LEVEL 2	1.	0.	1.	
2.1	2.4	0.3	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
2.4	4.0	1.5	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
4.0	4.5	0.5	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
4.5	4.8	0.3	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
4.8	4.9	0.2	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
4.9	7.0	2.0	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
7.0	7.4	0.4	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
7.4	7.7	0.3	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
7.7	8.2	0.5	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
8.2	8.5	0.3	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
8.5	8.8	0.4	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
8.8	9.4	0.6	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
9.4	9.8	0.4	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
9.8	10.5	0.8	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
10.5	11.4	0.9	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
Link 463.								
0.0	0.2	0.2	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
0.2	0.7	0.6	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
0.7	1.0	0.3	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
1.0	1.0	0.0	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
1.0	1.1	0.1	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
1.1	2.8	1.7	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
2.8	2.9	0.1	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
2.9	3.0	0.0	INTERMIT STREAM	LEVEL 3	2.	6.	2.	
3.0	4.2	1.3	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
4.2	4.3	0.1	INTERMIT STREAM	LEVEL 3	2.	6.	2.	
4.3	4.5	0.2	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
4.5	4.8	0.3	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
Link 464.								
0.0	0.1	0.1	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
0.1	2.5	2.4	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
2.5	2.5	0.0	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
2.5	2.8	0.2	PERENNIAL STREAM	LEVEL 3	4.	21.	2.	WEAVER CREEK
2.8	4.0	1.2	INTERMIT STREAM	LEVEL 4	3.	6.	2.	
Link 465.								
0.0	0.1	0.1	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
0.1	0.3	0.2	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
0.3	0.4	0.1	PERENNIAL STREAM	LEVEL 3	4.	21.	2.	WEAVER CREEK
0.4	0.6	0.2	INTERMIT STREAM	LEVEL 4	3.	6.	2.	
0.6	0.7	0.1	INTERMIT STREAM	LEVEL 3	2.	6.	2.	
0.7	1.3	0.6	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
1.3	1.6	0.4	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
1.6	1.8	0.2	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
1.8	2.0	0.2	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	

TABLE 2 - Ground Disturbance Impacts to Water Resources (Continued)

MILE POST FROM	TO	LENGTH	WATER RESOURCES	CONT/GR DIST	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
Link 466.								
0.0	0.6	0.6	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
Link 467.								
0.0	0.5	0.5	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
0.5	0.6	0.0	PERENNIAL STREAM	LEVEL 3	4.	21.	2.	WEAVER CREEK
0.6	1.8	1.3	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
1.8	2.5	0.7	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
2.5	3.1	0.6	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
3.1	3.1	0.1	INTERMIT STREAM	LEVEL 3	2.	6.	2.	
3.1	4.2	1.1	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
4.2	4.7	0.5	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
4.7	5.1	0.3	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
5.1	5.2	0.1	PERENNIAL STREAM	LEVEL 2	4.	20.	2.	SILVER CREEK
5.2	5.6	0.5	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
5.6	6.5	0.9	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
6.5	9.7	3.2	INTERMIT STREAM	LEVEL 2	3.	6.	2.	
9.7	11.0	1.4	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
11.0	11.2	0.1	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
11.2	11.6	0.5	ALL OTHER AREAS	LEVEL 1	1.	0.	1.	
11.6	11.8	0.2	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
11.8	12.6	0.7	ALL OTHER AREAS	LEVEL 1	1.	0.	1.	
12.6	13.0	0.4	SHALLOW GROUNDWATER	LEVEL 1	1.	0.	1.	
13.0	13.6	0.7	SHALLOW GROUNDWATER	LEVEL 2	1.	0.	1.	
Link 468.								
0.0	0.1	0.1	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
0.1	0.1	0.0	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
0.1	0.2	0.1	INTERMIT STREAM	LEVEL 3	2.	6.	2.	
0.2	0.4	0.2	PERENNIAL STREAM	LEVEL 3	4.	21.	2.	WEAVER CREEK
0.4	1.5	1.0	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
1.5	1.6	0.2	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
1.6	1.8	0.2	INTERMIT STREAM	LEVEL 2	3.	6.	2.	
1.8	2.3	0.5	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
2.3	2.9	0.6	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
Link 469.								
0.0	0.0	0.0	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
0.0	1.5	1.5	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
1.5	1.6	0.1	INTERMIT STREAM	LEVEL 2	3.	6.	2.	
1.6	2.1	0.5	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
2.1	2.5	0.4	INTERMIT STREAM	LEVEL 3	2.	6.	2.	
Link 471.								
0.0	0.1	0.1	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
0.1	0.9	0.8	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
0.9	1.1	0.2	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
1.1	1.2	0.1	PERENNIAL STREAM	LEVEL 2	4.	20.	2.	SILVER CREEK
1.2	1.4	0.2	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
1.4	2.4	1.0	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
2.4	2.5	0.1	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
2.5	2.6	0.1	INTERMIT STREAM	LEVEL 2	3.	6.	2.	
2.6	2.7	0.1	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
2.7	3.3	0.6	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
3.3	3.7	0.5	INTERMIT STREAM	LEVEL 3	2.	6.	2.	
3.7	4.9	1.2	ALL OTHER AREAS	LEVEL 4	1.	0.	1.	
4.9	9.4	4.5	ALL OTHER AREAS	LEVEL 2	1.	0.	1.	
9.4	11.4	2.0	ALL OTHER AREAS	LEVEL 3	1.	0.	1.	
11.4	11.8	0.4	SHALLOW GROUNDWATER	LEVEL 2	1.	0.	1.	
Link 472.								
0.0	0.0	0.0	SHALLOW GROUNDWATER	LEVEL 2	1.	0.	1.	
0.0	0.3	0.3	SHALLOW GROUNDWATER	LEVEL 3	1.	0.	1.	
0.3	0.7	0.4	SHALLOW GROUNDWATER	LEVEL 2	1.	0.	1.	
0.7	0.7	0.1	SHALLOW GROUNDWATER	LEVEL 3	1.	0.	1.	
0.7	1.2	0.5	SHALLOW GROUNDWATER	LEVEL 2	1.	0.	1.	

TABLE 2 - Ground Disturbance Impacts to Water Resources (Continued)

MILE POST FROM	TO	LENGTH	WATER RESOURCES	CONT/GR DIST	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
Link 473.								
0.0	0.0	0.0	SHALLOW GROUNDWATER LEVEL 3		1.	0.	1.	
0.0	1.4	1.4	SHALLOW GROUNDWATER LEVEL 2		1.	0.	1.	

TABLE 3
BIOLOGICAL RESOURCES

Ground Disturbance Impacts to Sensitive Animal Species

MILE POST FROM	TO	LENGTH	WILDLIFE RESOURCES	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 460.							
0.0	0.2	0.2	FERRUGINOUS HAWK HABITAT	LEVEL 4	3.	4.	2.
0.2	0.8	0.6	FERRUGINOUS HAWK HABITAT	LEVEL 2	2.	0.	2.
0.8	0.9	0.1	FERRUGINOUS HAWK HABITAT	LEVEL 3	3.	2.	2.
0.9	1.1	0.2	FERRUGINOUS HAWK HABITAT	LEVEL 2	2.	0.	2.
1.1	1.1	0.0	BACKGROUND	LEVEL 2	1.	0.	1.
1.1	1.2	0.1	FERRUGINOUS HAWK HABITAT	LEVEL 2	2.	0.	2.
1.2	3.1	1.9	BACKGROUND	LEVEL 2	1.	0.	1.
3.1	4.0	0.9	BACKGROUND	LEVEL 4	1.	0.	1.
4.0	4.2	0.1	BACKGROUND	LEVEL 3	1.	0.	1.
Link 461.							
0.0	0.0	0.0	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
0.0	0.5	0.4	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
0.5	1.5	1.0	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
1.5	2.4	1.0	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
2.4	4.0	1.5	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
4.0	4.5	0.5	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
4.5	4.8	0.3	43,3 COMBINATION	LEVEL 3	3.	22.	2.
4.8	4.9	0.2	43,3 COMBINATION	LEVEL 4	3.	28.	2.
4.9	7.0	2.0	43,3 COMBINATION	LEVEL 2	2.	0.	2.
7.0	7.4	0.4	43,3 COMBINATION	LEVEL 3	3.	22.	2.
7.4	7.7	0.3	43,3 COMBINATION	LEVEL 2	2.	0.	2.
7.7	7.8	0.1	43,3 COMBINATION	LEVEL 3	3.	22.	2.
7.8	8.2	0.4	43,95 COMBINATION	LEVEL 3	4.	22.	3.
8.2	8.5	0.3	43,95 COMBINATION	LEVEL 4	4.	28.	3.
8.5	8.8	0.4	43,95 COMBINATION	LEVEL 3	4.	22.	3.
8.8	8.9	0.1	43,95 COMBINATION	LEVEL 4	4.	28.	3.
8.9	9.4	0.5	CRITICAL PRONGHORN HABITAT	LEVEL 4	4.	4.	3.
9.4	9.8	0.4	CRITICAL PRONGHORN HABITAT	LEVEL 3	4.	2.	3.
9.8	10.5	0.8	95,29 COMBINATION	LEVEL 2	3.	20.	2.
10.5	11.4	0.9	CRITICAL PRONGHORN HABITAT	LEVEL 3	4.	2.	3.
Link 463.							
0.0	0.2	0.2	BACKGROUND	LEVEL 3	1.	0.	1.
0.2	0.7	0.6	BACKGROUND	LEVEL 4	1.	0.	1.
0.7	1.0	0.3	BACKGROUND	LEVEL 2	1.	0.	1.
1.0	1.0	0.0	BACKGROUND	LEVEL 4	1.	0.	1.
1.0	1.1	0.1	BACKGROUND	LEVEL 2	1.	0.	1.
1.1	2.8	1.7	BACKGROUND	LEVEL 4	1.	0.	1.
2.8	3.0	0.2	BACKGROUND	LEVEL 3	1.	0.	1.
3.0	4.5	1.5	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
4.5	4.8	0.3	PRONGHORN ANTELOPE	LEVEL 4	3.	4.	2.
Link 464.							
0.0	0.1	0.1	BACKGROUND	LEVEL 3	1.	0.	1.
0.1	2.5	2.4	BACKGROUND	LEVEL 4	1.	0.	1.
2.5	2.5	0.0	BACKGROUND	LEVEL 2	1.	0.	1.
2.5	2.8	0.2	BACKGROUND	LEVEL 3	1.	0.	1.
2.8	4.0	1.2	BACKGROUND	LEVEL 4	1.	0.	1.
Link 465.							
0.0	0.1	0.1	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
0.1	0.4	0.3	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
0.4	0.6	0.2	PRONGHORN ANTELOPE	LEVEL 4	3.	4.	2.
0.6	1.3	0.7	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
1.3	1.6	0.4	PRONGHORN ANTELOPE	LEVEL 4	3.	4.	2.
1.6	1.8	0.2	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
1.8	2.0	0.2	PRONGHORN ANTELOPE	LEVEL 4	3.	4.	2.

TABLE 3 - Ground Disturbance Impacts to Sensitive Animal Species (Continued)

MILE POST FROM	TO	LENGTH	WILDLIFE RESOURCES	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 466.							
0.0	0.6	0.6	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
Link 467.							
0.0	0.5	0.5	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
0.5	1.8	1.3	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
1.8	2.5	0.7	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
2.5	4.2	1.7	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
4.2	4.7	0.5	PRONGHORN ANTELOPE	LEVEL 4	3.	4.	2.
4.7	5.6	0.9	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
5.6	6.5	0.9	ANTELOPE KIDDING GROUND	LEVEL 3	4.	22.	3.
6.5	11.0	4.5	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
11.0	11.2	0.1	CRITICAL PRONGHORN HABITAT	LEVEL 3	4.	2.	3.
11.2	11.6	0.5	CRITICAL PRONGHORN HABITAT	LEVEL 1	2.	0.	2.
11.6	11.8	0.2	CRITICAL PRONGHORN HABITAT	LEVEL 2	3.	1.	2.
11.8	13.0	1.1	CRITICAL PRONGHORN HABITAT	LEVEL 1	2.	0.	2.
13.0	13.6	0.7	CRITICAL PRONGHORN HABITAT	LEVEL 2	3.	1.	2.
Link 468.							
0.0	0.1	0.1	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
0.1	1.5	1.4	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
1.5	2.3	0.9	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
2.3	2.9	0.6	PRONGHORN ANTELOPE	LEVEL 4	3.	4.	2.
Link 469.							
0.0	0.0	0.0	PRONGHORN ANTELOPE	LEVEL 4	3.	4.	2.
0.0	1.5	1.5	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
1.5	2.1	0.6	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
2.1	2.5	0.4	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
Link 471.							
0.0	0.1	0.1	PRONGHORN ANTELOPE	LEVEL 4	3.	4.	2.
0.1	0.9	0.8	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
0.9	1.4	0.5	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
1.4	2.4	1.0	ANTELOPE KIDDING GROUND	LEVEL 3	4.	22.	3.
2.4	2.7	0.3	ANTELOPE KIDDING GROUND	LEVEL 2	4.	11.	2.
2.7	3.7	1.0	ANTELOPE KIDDING GROUND	LEVEL 3	4.	22.	3.
3.7	4.9	1.2	ANTELOPE KIDDING GROUND	LEVEL 4	4.	28.	2.
4.9	6.6	1.7	ANTELOPE KIDDING GROUND	LEVEL 2	4.	11.	2.
6.6	9.4	2.8	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
9.4	11.4	2.0	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
11.4	11.8	0.4	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
Link 472.							
0.0	0.0	0.0	CRITICAL PRONGHORN HABITAT	LEVEL 2	3.	1.	2.
0.0	0.3	0.3	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
0.3	0.7	0.4	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
0.7	0.7	0.1	PRONGHORN ANTELOPE	LEVEL 3	3.	2.	2.
0.7	1.2	0.5	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.
Link 473.							
0.0	0.0	0.0	CRITICAL PRONGHORN HABITAT	LEVEL 3	4.	2.	3.
0.0	1.4	1.4	PRONGHORN ANTELOPE	LEVEL 2	2.	0.	2.

TABLE 4
BIOLOGICAL RESOURCES

Public Access Impacts to Sensitive Animal Species

MILE POST FROM	TO	LENGTH	WILDLIFE RESOURCES	CHANGE IN ACCESS	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 460.							
0.0	0.2	0.2	FERRUGINOUS HAWK HABITAT	0-20 % 3-5	2.	0.	2.
0.2	1.1	0.9	FERRUGINOUS HAWK HABITAT	0-20 % 2	2.	0.	2.
1.1	1.1	0.0	BACKGROUND	0-20 % 2	1.	0.	1.
1.1	1.2	0.1	FERRUGINOUS HAWK HABITAT	0-20 % 2	2.	0.	2.
1.2	3.1	1.9	BACKGROUND	0-20 % 2	1.	0.	1.
3.1	4.2	1.1	BACKGROUND	0-20 % 3-5	1.	0.	1.
Link 461.							
0.0	0.0	0.0	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
0.0	0.5	0.4	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
0.5	1.5	1.0	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
1.5	2.4	1.0	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
2.4	2.9	0.4	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
2.9	3.6	0.7	PRONGHORN ANTELOPE	50 + % 3-5	3.	4.	2.
3.6	3.7	0.1	PRONGHORN ANTELOPE	20-40 % 3-5	2.	0.	2.
3.7	4.0	0.3	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
4.0	4.2	0.3	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
4.2	4.3	0.1	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
4.3	4.9	0.6	43,3 COMBINATION	0-20 % 3-5	2.	0.	2.
4.9	7.0	2.0	43,3 COMBINATION	0-20 % 2	2.	0.	2.
7.0	7.4	0.4	43,3 COMBINATION	0-20 % 3-5	2.	0.	2.
7.4	7.7	0.3	43,3 COMBINATION	0-20 % 2	2.	0.	2.
7.7	7.8	0.1	43,3 COMBINATION	0-20 % 3-5	2.	0.	2.
7.8	8.6	0.7	43,95 COMBINATION	0-20 % 3-5	2.	0.	2.
8.6	8.7	0.1	43,95 COMBINATION	40-50 % 3-5	4.	4.	3.
8.7	8.9	0.3	43,95 COMBINATION	50 + % 3-5	4.	4.	3.
8.9	9.4	0.5	CRITICAL PRONGHORN HABITAT	50 + % 3-5	4.	4.	3.
9.4	9.5	0.1	CRITICAL PRONGHORN HABITAT	20-40 % 3-5	3.	2.	2.
9.5	9.8	0.3	95,29 COMBINATION	0-20 % 3-5	3.	2.	2.
9.8	10.1	0.3	95,29 COMBINATION	0-20 % 2	3.	1.	2.
10.1	10.3	0.1	95,29 COMBINATION	0-20 % 3-5	3.	2.	2.
10.3	10.5	0.3	95,29 COMBINATION	0-20 % 2	3.	1.	2.
10.5	10.8	0.3	CRITICAL PRONGHORN HABITAT	0-20 % 3-5	2.	0.	2.
10.8	10.9	0.1	PRONGHORN ANTELOPE	20-40 % 3-5	2.	0.	2.
10.9	11.4	0.5	PRONGHORN ANTELOPE	50 + % 3-5	3.	4.	2.
Link 463.							
0.0	0.5	0.5	BACKGROUND	0-20 % 3-5	1.	0.	1.
0.5	0.7	0.2	BACKGROUND	20-40 % 3-5	1.	0.	1.
0.7	2.3	1.5	BACKGROUND	0-20 % 2	1.	0.	1.
2.3	2.4	0.1	BACKGROUND	20-40 % 3-5	1.	0.	1.
2.4	2.5	0.1	BACKGROUND	50 + % 3-5	1.	0.	1.
2.5	2.6	0.1	BACKGROUND	40-50 % 3-5	1.	0.	1.
2.6	2.9	0.3	BACKGROUND	50 + % 3-5	1.	0.	1.
2.9	2.9	0.1	BACKGROUND	20-40 % 3-5	1.	0.	1.
2.9	3.0	0.0	BACKGROUND	0-20 % 3-5	1.	0.	1.
3.0	3.8	0.8	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
3.8	4.4	0.6	PRONGHORN ANTELOPE	20-40 % 3-5	2.	0.	2.
4.4	4.8	0.4	PRONGHORN ANTELOPE	50 + % 3-5	3.	4.	2.
Link 464.							
0.0	2.5	2.5	BACKGROUND	0-20 % 3-5	1.	0.	1.
2.5	2.5	0.0	BACKGROUND	0-20 % 2	1.	0.	1.
2.5	4.0	1.4	BACKGROUND	0-20 % 3-5	1.	0.	1.
Link 465.							
0.0	0.1	0.1	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
0.1	1.2	1.0	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
1.2	1.3	0.1	PRONGHORN ANTELOPE	40-50 % 3-5	3.	4.	2.
1.3	2.0	0.7	PRONGHORN ANTELOPE	50 + % 3-5	3.	4.	2.

TABLE 4 - Public Access Impacts to Sensitive Animal Species (Continued)

MILE POST FROM	TO	LENGTH	WILDLIFE RESOURCES	CHANGE IN ACCESS	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 466.							
0.0	0.6	0.6	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
Link 467.							
0.0	0.5	0.5	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
0.5	1.8	1.3	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
1.8	2.5	0.7	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
2.5	3.0	0.5	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
3.0	3.1	0.1	PRONGHORN ANTELOPE	20-40 % 3-5	2.	0.	2.
3.1	4.1	1.0	PRONGHORN ANTELOPE	50 + % 3-5	3.	4.	2.
4.1	4.2	0.1	PRONGHORN ANTELOPE	20-40 % 3-5	2.	0.	2.
4.2	4.7	0.5	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
4.7	5.3	0.5	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
5.3	5.3	0.0	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
5.3	5.6	0.4	ANTELOPE KIDDING GROUND	0-20 % 3-5	3.	2.	2.
5.6	5.7	0.1	ANTELOPE KIDDING GROUND	40-50 % 3-5	4.	4.	3.
5.7	6.0	0.3	ANTELOPE KIDDING GROUND	50 + % 3-5	4.	4.	3.
6.0	6.5	0.5	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
6.5	6.9	0.4	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
6.9	7.5	0.6	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
7.5	8.3	0.9	PRONGHORN ANTELOPE	50 + % 3-5	3.	4.	2.
8.3	8.4	0.1	PRONGHORN ANTELOPE	20-40 % 3-5	2.	0.	2.
8.4	9.6	1.1	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
9.6	9.8	0.3	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
9.8	10.1	0.2	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
10.1	10.9	0.8	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
10.9	11.0	0.1	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
11.0	11.2	0.2	CRITICAL PRONGHORN HABITAT	0-20 % 3-5	2.	0.	2.
11.2	11.6	0.5	CRITICAL PRONGHORN HABITAT	0-20 % 1	2.	0.	2.
11.6	11.8	0.2	CRITICAL PRONGHORN HABITAT	0-20 % 2	2.	0.	2.
11.8	13.0	1.1	CRITICAL PRONGHORN HABITAT	0-20 % 1	2.	0.	2.
13.0	13.6	0.7	CRITICAL PRONGHORN HABITAT	0-20 % 2	2.	0.	2.
Link 468.							
0.0	0.1	0.1	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
0.1	1.5	1.4	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
1.5	2.5	1.1	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
2.5	2.6	0.0	PRONGHORN ANTELOPE	20-40 % 3-5	2.	0.	2.
2.6	2.9	0.4	PRONGHORN ANTELOPE	50 + % 3-5	3.	4.	2.
Link 469.							
0.0	0.8	0.8	PRONGHORN ANTELOPE	50 + % 3-5	3.	4.	2.
0.8	0.9	0.1	PRONGHORN ANTELOPE	20-40 % 3-5	2.	0.	2.
0.9	1.5	0.7	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
1.5	1.9	0.4	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
1.9	2.3	0.4	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
2.3	2.5	0.2	PRONGHORN ANTELOPE	20-40 % 3-5	2.	0.	2.
Link 471.							
0.0	0.3	0.3	PRONGHORN ANTELOPE	50 + % 3-5	3.	4.	2.
0.3	0.4	0.1	PRONGHORN ANTELOPE	40-50 % 3-5	3.	4.	2.
0.4	0.9	0.6	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
0.9	1.4	0.5	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
1.4	1.8	0.4	ANTELOPE KIDDING GROUND	0-20 % 3-5	3.	2.	2.
1.8	2.0	0.3	ANTELOPE KIDDING GROUND	40-50 % 3-5	4.	4.	3.
2.0	2.1	0.1	ANTELOPE KIDDING GROUND	20-40 % 3-5	3.	2.	2.
2.1	2.4	0.3	ANTELOPE KIDDING GROUND	0-20 % 3-5	3.	2.	2.
2.4	2.7	0.3	ANTELOPE KIDDING GROUND	0-20 % 2	3.	1.	2.
2.7	3.3	0.6	ANTELOPE KIDDING GROUND	0-20 % 3-5	3.	2.	2.
3.3	4.3	1.0	ANTELOPE KIDDING GROUND	50 + % 3-5	4.	4.	3.
4.3	4.4	0.1	ANTELOPE KIDDING GROUND	20-40 % 3-5	3.	2.	2.
4.4	4.9	0.6	ANTELOPE KIDDING GROUND	0-20 % 3-5	3.	2.	2.
4.9	5.4	0.5	ANTELOPE KIDDING GROUND	0-20 % 2	3.	1.	2.
5.4	5.5	0.1	ANTELOPE KIDDING GROUND	0-20 % 3-5	3.	2.	2.
5.5	5.8	0.3	ANTELOPE KIDDING GROUND	0-20 % 2	3.	1.	2.
5.8	6.4	0.7	ANTELOPE KIDDING GROUND	0-20 % 3-5	3.	2.	2.
6.4	6.6	0.2	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
6.6	6.9	0.3	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
6.9	8.3	1.4	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
8.3	8.6	0.3	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
8.6	9.0	0.5	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
9.0	9.1	0.1	PRONGHORN ANTELOPE	20-40 % 3-5	2.	0.	2.

TABLE 4 - Public Access Impacts to Sensitive Animal Species (Continued)

MILE POST FROM	TO	LENGTH	WILDLIFE RESOURCES	CHANGE IN ACCESS	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
9.1	10.1	0.9	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
10.1	10.2	0.1	PRONGHORN ANTELOPE	20-40 % 3-5	2.	0.	2.
10.2	10.7	0.5	PRONGHORN ANTELOPE	50 + % 3-5	3.	4.	2.
10.7	11.4	0.7	PRONGHORN ANTELOPE	20-40 % 3-5	2.	0.	2.
11.4	11.8	0.4	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
Link 472.							
0.0	0.0	0.0	CRITICAL PRONGHORN HABITAT	0-20 % 2	2.	0.	2.
0.0	0.3	0.3	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
0.3	0.7	0.4	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
0.7	0.7	0.1	PRONGHORN ANTELOPE	0-20 % 3-5	2.	0.	2.
0.7	1.2	0.5	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.
Link 473.							
0.0	0.0	0.0	CRITICAL PRONGHORN HABITAT	0-20 % 3-5	2.	0.	2.
0.0	1.4	1.4	PRONGHORN ANTELOPE	0-20 % 2	2.	0.	2.

TABLE 5
BIOLOGICAL RESOURCES

Ground Disturbance to Sensitive Plant Species

MILE POST FROM	TO	LENGTH	SENSITIVE SPECIES	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 460.							
0.0	0.2	0.2	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
0.2	0.8	0.6	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
0.8	0.9	0.1	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
0.9	3.1	2.2	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
3.1	4.0	0.9	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
4.0	4.2	0.1	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
Link 461.							
0.0	0.0	0.0	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
0.0	0.5	0.4	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
0.5	1.5	1.0	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
1.5	2.4	1.0	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
2.4	4.0	1.5	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
4.0	4.5	0.5	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
4.5	4.8	0.3	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
4.8	4.9	0.2	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
4.9	7.0	2.0	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
7.0	7.4	0.4	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
7.4	7.7	0.3	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
7.7	8.2	0.5	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
8.2	8.5	0.3	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
8.5	8.8	0.4	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
8.8	9.4	0.6	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
9.4	9.8	0.4	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
9.8	10.5	0.8	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
10.5	11.4	0.9	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
Link 463.							
0.0	0.2	0.2	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
0.2	0.7	0.6	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
0.7	1.0	0.3	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
1.0	1.0	0.0	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
1.0	1.1	0.1	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
1.1	2.8	1.7	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
2.8	3.5	0.7	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
3.5	4.5	1.0	CYMOPTERUS BASALTICUS	LEVEL 3	3.	21.	2.
4.5	4.7	0.2	CYMOPTERUS BASALTICUS	LEVEL 4	4.	27.	2.
4.7	4.8	0.1	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
Link 464.							
0.0	0.1	0.1	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
0.1	2.5	2.4	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
2.5	2.5	0.0	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
2.5	2.8	0.2	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
2.8	4.0	1.2	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
Link 465.							
0.0	0.1	0.1	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
0.1	0.4	0.3	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
0.4	0.6	0.2	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
0.6	1.3	0.7	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
1.3	1.6	0.4	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
1.6	1.8	0.2	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
1.8	2.0	0.2	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
Link 466.							
0.0	0.6	0.6	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.

TABLE 5 - Ground Disturbance to Sensitive Plant Species (Continued)

MILE POST FROM	TO	LENGTH	SENSITIVE SPECIES	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 467.							
0.0	0.5	0.5	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
0.5	1.8	1.3	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
1.8	2.5	0.7	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
2.5	4.2	1.7	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
4.2	4.7	0.5	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
4.7	5.6	0.9	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
5.6	6.5	0.9	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
6.5	11.0	4.5	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
11.0	11.2	0.1	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
11.2	11.6	0.5	NO SENSITIVE SPECIES/BACKGR	LEVEL 1	1.	0.	1.
11.6	11.8	0.2	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
11.8	13.0	1.1	NO SENSITIVE SPECIES/BACKGR	LEVEL 1	1.	0.	1.
13.0	13.6	0.7	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
Link 468.							
0.0	0.1	0.1	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
0.1	1.5	1.4	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
1.5	2.3	0.9	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
2.3	2.9	0.6	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
Link 469.							
0.0	0.0	0.0	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
0.0	1.5	1.5	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
1.5	2.1	0.6	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
2.1	2.5	0.4	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
Link 471.							
0.0	0.1	0.1	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
0.1	0.9	0.8	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
0.9	1.4	0.5	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
1.4	2.4	1.0	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
2.4	2.7	0.3	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
2.7	3.7	1.0	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
3.7	4.9	1.2	NO SENSITIVE SPECIES/BACKGR	LEVEL 4	1.	0.	1.
4.9	9.4	4.5	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
9.4	11.4	2.0	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
11.4	11.8	0.4	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
Link 472.							
0.0	0.0	0.0	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
0.0	0.3	0.3	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
0.3	0.7	0.4	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
0.7	0.7	0.1	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
0.7	1.2	0.5	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.
Link 473.							
0.0	0.0	0.0	NO SENSITIVE SPECIES/BACKGR	LEVEL 3	1.	0.	1.
0.0	1.4	1.4	NO SENSITIVE SPECIES/BACKGR	LEVEL 2	1.	0.	1.

TABLE 6
BIOLOGICAL RESOURCES

Public Access Impacts to Sensitive Plant Species

MILE POST FROM	TO	LENGTH	SENSITIVE SPECIES	CHANGE IN ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 460.							
0.0	4.2	4.2	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
Link 461.							
0.0	2.9	2.9	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
2.9	3.6	0.7	NO SENSITIVE SPECIES/BACKGR	50 -100 %	1.	0.	1.
3.6	3.7	0.1	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
3.7	8.6	4.9	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
8.6	8.7	0.1	NO SENSITIVE SPECIES/BACKGR	40 - 50 %	1.	0.	1.
8.7	9.4	0.8	NO SENSITIVE SPECIES/BACKGR	50 -100 %	1.	0.	1.
9.4	9.5	0.1	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
9.5	10.8	1.3	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
10.8	10.9	0.1	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
10.9	11.4	0.5	NO SENSITIVE SPECIES/BACKGR	50 -100 %	1.	0.	1.
Link 463.							
0.0	0.5	0.5	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
0.5	0.6	0.1	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
0.6	2.3	1.6	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
2.3	2.4	0.1	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
2.4	2.4	0.1	NO SENSITIVE SPECIES/BACKGR	50 -100 %	1.	0.	1.
2.4	2.5	0.0	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
2.5	2.6	0.1	NO SENSITIVE SPECIES/BACKGR	40 - 50 %	1.	0.	1.
2.6	2.9	0.3	NO SENSITIVE SPECIES/BACKGR	50 -100 %	1.	0.	1.
2.9	2.9	0.1	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
2.9	3.5	0.5	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
3.5	3.8	0.4	CYMOPTERUS BASALTICUS	0 - 20 %	2.	0.	2.
3.8	4.4	0.6	CYMOPTERUS BASALTICUS	20 - 40 %	2.	0.	2.
4.4	4.8	0.4	CYMOPTERUS BASALTICUS	50 -100 %	3.	4.	2.
Link 464.							
0.0	4.0	4.0	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
Link 465.							
0.0	1.2	1.2	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
1.2	1.3	0.1	NO SENSITIVE SPECIES/BACKGR	40 - 50 %	1.	0.	1.
1.3	2.0	0.7	NO SENSITIVE SPECIES/BACKGR	50 -100 %	1.	0.	1.
Link 466.							
0.0	0.6	0.6	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
Link 467.							
0.0	3.0	3.0	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
3.0	3.1	0.1	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
3.1	4.1	1.0	NO SENSITIVE SPECIES/BACKGR	50 -100 %	1.	0.	1.
4.1	4.2	0.1	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
4.2	5.6	1.4	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
5.6	5.7	0.1	NO SENSITIVE SPECIES/BACKGR	40 - 50 %	1.	0.	1.
5.7	6.0	0.3	NO SENSITIVE SPECIES/BACKGR	50 -100 %	1.	0.	1.
6.0	7.5	1.4	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
7.5	8.3	0.9	NO SENSITIVE SPECIES/BACKGR	50 -100 %	1.	0.	1.
8.3	8.4	0.1	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
8.4	13.6	5.2	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
Link 468.							
0.0	2.5	2.5	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
2.5	2.6	0.0	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
2.6	2.9	0.4	NO SENSITIVE SPECIES/BACKGR	50 -100 %	1.	0.	1.

TABLE 6 - Public Access Impacts to Sensitive Plant Species (Continued)

MILE POST FROM	TO	LENGTH	SENSITIVE SPECIES	CHANGE IN ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 469.							
0.0	0.8	0.8	NO SENSITIVE SPECIES/BACKGR	50 -100 %	1.	0.	1.
0.8	0.9	0.1	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
0.9	2.3	1.4	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
2.3	2.5	0.2	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
Link 471.							
0.0	0.3	0.3	NO SENSITIVE SPECIES/BACKGR	50 -100 %	1.	0.	1.
0.3	0.4	0.1	NO SENSITIVE SPECIES/BACKGR	40 - 50 %	1.	0.	1.
0.4	1.8	1.4	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
1.8	2.0	0.3	NO SENSITIVE SPECIES/BACKGR	40 - 50 %	1.	0.	1.
2.0	2.1	0.1	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
2.1	3.3	1.2	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
3.3	4.3	1.0	NO SENSITIVE SPECIES/BACKGR	50 -100 %	1.	0.	1.
4.3	4.4	0.1	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
4.4	9.0	4.7	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
9.0	9.1	0.1	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
9.1	10.1	0.9	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
10.1	10.2	0.1	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
10.2	10.7	0.5	NO SENSITIVE SPECIES/BACKGR	50 -100 %	1.	0.	1.
10.7	10.9	0.2	NO SENSITIVE SPECIES/BACKGR	20 - 40 %	1.	0.	1.
10.9	11.8	0.9	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
Link 472.							
0.0	1.2	1.2	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.
Link 473.							
0.0	1.4	1.4	NO SENSITIVE SPECIES/BACKGR	0 - 20 %	1.	0.	1.

TABLE 7
LAND USE RESOURCES

Ground Disturbance Impacts to Parks, Recreation & Preservation Areas

MILE POST FROM	TO	LENGTH	FEATURE	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
Link 460.								
0.0	0.2	0.2	BACKGROUND	LEVEL 4	1.	0.	1.	
0.2	0.8	0.6	BACKGROUND	LEVEL 2	1.	0.	1.	
0.8	0.9	0.1	BACKGROUND	LEVEL 3	1.	0.	1.	
0.9	3.1	2.2	BACKGROUND	LEVEL 2	1.	0.	1.	
3.1	4.0	0.9	BACKGROUND	LEVEL 4	1.	0.	1.	
4.0	4.2	0.1	BACKGROUND	LEVEL 3	1.	0.	1.	
Link 461.								
0.0	0.0	0.0	BACKGROUND	LEVEL 3	1.	0.	1.	
0.0	0.5	0.4	BACKGROUND	LEVEL 2	1.	0.	1.	
0.5	1.5	1.0	BACKGROUND	LEVEL 3	1.	0.	1.	
1.5	2.4	1.0	BACKGROUND	LEVEL 2	1.	0.	1.	
2.4	4.0	1.5	BACKGROUND	LEVEL 3	1.	0.	1.	
4.0	4.5	0.5	BACKGROUND	LEVEL 2	1.	0.	1.	
4.5	4.8	0.3	BACKGROUND	LEVEL 3	1.	0.	1.	
4.8	4.9	0.2	BACKGROUND	LEVEL 4	1.	0.	1.	
4.9	7.0	2.0	BACKGROUND	LEVEL 2	1.	0.	1.	
7.0	7.4	0.4	BACKGROUND	LEVEL 3	1.	0.	1.	
7.4	7.7	0.3	BACKGROUND	LEVEL 2	1.	0.	1.	
7.7	8.2	0.5	BACKGROUND	LEVEL 3	1.	0.	1.	
8.2	8.5	0.3	BACKGROUND	LEVEL 4	1.	0.	1.	
8.5	8.8	0.4	BACKGROUND	LEVEL 3	1.	0.	1.	
8.8	9.4	0.6	BACKGROUND	LEVEL 4	1.	0.	1.	
9.4	9.8	0.4	BACKGROUND	LEVEL 3	1.	0.	1.	
9.8	10.5	0.8	BACKGROUND	LEVEL 2	1.	0.	1.	
10.5	11.4	0.9	BACKGROUND	LEVEL 3	1.	0.	1.	
Link 463.								
0.0	0.2	0.2	BACKGROUND	LEVEL 3	1.	0.	1.	
0.2	0.7	0.6	BACKGROUND	LEVEL 4	1.	0.	1.	
0.7	1.0	0.3	BACKGROUND	LEVEL 2	1.	0.	1.	
1.0	1.0	0.0	BACKGROUND	LEVEL 4	1.	0.	1.	
1.0	1.1	0.1	BACKGROUND	LEVEL 2	1.	0.	1.	
1.1	2.8	1.7	BACKGROUND	LEVEL 4	1.	0.	1.	
2.8	4.5	1.7	BACKGROUND	LEVEL 3	1.	0.	1.	
4.5	4.8	0.3	BACKGROUND	LEVEL 4	1.	0.	1.	
Link 464.								
0.0	0.1	0.1	BACKGROUND	LEVEL 3	1.	0.	1.	
0.1	1.7	1.6	BACKGROUND	LEVEL 4	1.	0.	1.	
1.7	2.5	0.8	BLM PROPOSED CAMPGRND/PIC	LEVEL 4	4.	6.	1.	SACRAMENTO PASS RECREATION AREA
2.5	2.5	0.0	BLM PROPOSED CAMPGRND/PIC	LEVEL 2	4.	6.	1.	SACRAMENTO PASS RECREATION AREA
2.5	2.8	0.2	BLM PROPOSED CAMPGRND/PIC	LEVEL 3	4.	6.	1.	SACRAMENTO PASS RECREATION AREA
2.8	4.0	1.2	BLM PROPOSED CAMPGRND/PIC	LEVEL 4	4.	6.	1.	SACRAMENTO PASS RECREATION AREA
Link 465.								
0.0	0.1	0.1	BACKGROUND	LEVEL 2	1.	0.	1.	
0.1	0.4	0.3	BACKGROUND	LEVEL 3	1.	0.	1.	
0.4	0.6	0.2	BACKGROUND	LEVEL 4	1.	0.	1.	
0.6	1.3	0.7	BACKGROUND	LEVEL 3	1.	0.	1.	
1.3	1.6	0.4	BACKGROUND	LEVEL 4	1.	0.	1.	
1.6	1.8	0.2	BACKGROUND	LEVEL 3	1.	0.	1.	
1.8	2.0	0.2	BACKGROUND	LEVEL 4	1.	0.	1.	

TABLE 7 - Ground Disturbance Impacts to Parks, Recreation & Preservation Areas (Continued)

MILE POST FROM	TO	LENGTH	FEATURE	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
Link 466.								
0.0	0.6	0.6	BACKGROUND	LEVEL 2	1.	0.	1.	
Link 467.								
0.0	0.5	0.5	BACKGROUND	LEVEL 2	1.	0.	1.	
0.5	1.8	1.3	BACKGROUND	LEVEL 3	1.	0.	1.	
1.8	2.5	0.7	BACKGROUND	LEVEL 2	1.	0.	1.	
2.5	4.2	1.7	BACKGROUND	LEVEL 3	1.	0.	1.	
4.2	4.7	0.5	BACKGROUND	LEVEL 4	1.	0.	1.	
4.7	5.6	0.9	BACKGROUND	LEVEL 2	1.	0.	1.	
5.6	6.5	0.9	BACKGROUND	LEVEL 3	1.	0.	1.	
6.5	11.0	4.5	BACKGROUND	LEVEL 2	1.	0.	1.	
11.0	11.2	0.1	BACKGROUND	LEVEL 3	1.	0.	1.	
11.2	11.6	0.5	BACKGROUND	LEVEL 1	1.	0.	1.	
11.6	11.8	0.2	BACKGROUND	LEVEL 2	1.	0.	1.	
11.8	13.0	1.1	BACKGROUND	LEVEL 1	1.	0.	1.	
13.0	13.6	0.7	BACKGROUND	LEVEL 2	1.	0.	1.	
Link 468.								
0.0	0.1	0.1	BACKGROUND	LEVEL 2	1.	0.	1.	
0.1	1.5	1.4	BACKGROUND	LEVEL 3	1.	0.	1.	
1.5	2.3	0.9	BACKGROUND	LEVEL 2	1.	0.	1.	
2.3	2.9	0.6	BACKGROUND	LEVEL 4	1.	0.	1.	
Link 469.								
0.0	0.0	0.0	BACKGROUND	LEVEL 4	1.	0.	1.	
0.0	1.5	1.5	BACKGROUND	LEVEL 3	1.	0.	1.	
1.5	2.1	0.6	BACKGROUND	LEVEL 2	1.	0.	1.	
2.1	2.5	0.4	BACKGROUND	LEVEL 3	1.	0.	1.	
Link 471.								
0.0	0.1	0.1	BACKGROUND	LEVEL 4	1.	0.	1.	
0.1	0.9	0.8	BACKGROUND	LEVEL 3	1.	0.	1.	
0.9	1.4	0.5	BACKGROUND	LEVEL 2	1.	0.	1.	
1.4	2.4	1.0	BACKGROUND	LEVEL 3	1.	0.	1.	
2.4	2.7	0.3	BACKGROUND	LEVEL 2	1.	0.	1.	
2.7	3.7	1.0	BACKGROUND	LEVEL 3	1.	0.	1.	
3.7	4.9	1.2	BACKGROUND	LEVEL 4	1.	0.	1.	
4.9	9.4	4.5	BACKGROUND	LEVEL 2	1.	0.	1.	
9.4	11.4	2.0	BACKGROUND	LEVEL 3	1.	0.	1.	
11.4	11.8	0.4	BACKGROUND	LEVEL 2	1.	0.	1.	
Link 472.								
0.0	0.0	0.0	BACKGROUND	LEVEL 2	1.	0.	1.	
0.0	0.3	0.3	BACKGROUND	LEVEL 3	1.	0.	1.	
0.3	0.7	0.4	BACKGROUND	LEVEL 2	1.	0.	1.	
0.7	0.7	0.1	BACKGROUND	LEVEL 3	1.	0.	1.	
0.7	1.2	0.5	BACKGROUND	LEVEL 2	1.	0.	1.	
Link 473.								
0.0	0.0	0.0	BACKGROUND	LEVEL 3	1.	0.	1.	
0.0	1.4	1.4	BACKGROUND	LEVEL 2	1.	0.	1.	

TABLE 8
LAND USE RESOURCES

Existing & Planned Landuse

MILE POST FROM	TO	LENGTH	FEATURE	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
Link 460.								
0.0	0.2	0.2	BACKGROUND	LEVEL 4	1.	0.	1.	
0.2	0.8	0.6	BACKGROUND	LEVEL 2	1.	0.	1.	
0.8	0.9	0.1	BACKGROUND	LEVEL 3	1.	0.	1.	
0.9	3.1	2.2	BACKGROUND	LEVEL 2	1.	0.	1.	
3.1	4.0	0.9	BACKGROUND	LEVEL 4	1.	0.	1.	
4.0	4.2	0.1	BACKGROUND	LEVEL 3	1.	0.	1.	
Link 461.								
0.0	0.0	0.0	230KV TRANSLINE	LEVEL 3	4.	6.	1.	
0.0	0.5	0.4	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
0.5	1.5	1.0	230KV TRANS LINE	LEVEL 3	4.	6.	1.	
1.5	2.4	1.0	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
2.4	4.0	1.5	230KV TRANS LINE	LEVEL 3	4.	6.	1.	
4.0	4.5	0.5	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
4.5	4.8	0.3	230KV TRANS LINE	LEVEL 3	4.	6.	1.	
4.8	4.9	0.2	230KV TRANS LINE	LEVEL 4	4.	6.	1.	
4.9	7.0	2.0	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
7.0	7.4	0.4	230KV TRANS LINE	LEVEL 3	4.	6.	1.	
7.4	7.7	0.3	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
7.7	7.9	0.2	BACKGROUND	LEVEL 3	1.	0.	1.	
7.9	8.2	0.3	230KV TRANS LINE	LEVEL 3	4.	6.	1.	
8.2	8.5	0.3	230KV TRANS LINE	LEVEL 4	4.	6.	1.	
8.5	8.8	0.4	230KV TRANS LINE	LEVEL 3	4.	6.	1.	
8.8	9.4	0.6	BACKGROUND	LEVEL 4	1.	0.	1.	
9.4	9.8	0.4	BACKGROUND	LEVEL 3	1.	0.	1.	
9.8	10.5	0.8	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
10.5	11.4	0.9	230KV TRANS LINE	LEVEL 3	4.	6.	1.	
Link 463.								
0.0	0.2	0.2	BACKGROUND	LEVEL 3	1.	0.	1.	
0.2	0.7	0.6	BACKGROUND	LEVEL 4	1.	0.	1.	
0.7	1.0	0.3	BACKGROUND	LEVEL 2	1.	0.	1.	
1.0	1.0	0.0	BACKGROUND	LEVEL 4	1.	0.	1.	
1.0	1.1	0.1	BACKGROUND	LEVEL 2	1.	0.	1.	
1.1	2.8	1.7	BACKGROUND	LEVEL 4	1.	0.	1.	
2.8	4.5	1.7	BACKGROUND	LEVEL 3	1.	0.	1.	
4.5	4.8	0.3	BACKGROUND	LEVEL 4	1.	0.	1.	
Link 464.								
0.0	0.1	0.1	BACKGROUND	LEVEL 3	1.	0.	1.	
0.1	2.5	2.4	BACKGROUND	LEVEL 4	1.	0.	1.	
2.5	2.5	0.0	BACKGROUND	LEVEL 2	1.	0.	1.	
2.5	2.8	0.2	BACKGROUND	LEVEL 3	1.	0.	1.	
2.8	4.0	1.2	BACKGROUND	LEVEL 4	1.	0.	1.	
Link 465.								
0.0	0.1	0.1	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
0.1	0.4	0.3	BACKGROUND	LEVEL 3	1.	0.	1.	
0.4	0.6	0.2	BACKGROUND	LEVEL 4	1.	0.	1.	
0.6	1.3	0.7	BACKGROUND	LEVEL 3	1.	0.	1.	
1.3	1.6	0.4	BACKGROUND	LEVEL 4	1.	0.	1.	
1.6	1.8	0.2	BACKGROUND	LEVEL 3	1.	0.	1.	
1.8	2.0	0.2	BACKGROUND	LEVEL 4	1.	0.	1.	
Link 466.								
0.0	0.6	0.6	230KV TRANS LINE	LEVEL 2	4.	6.	1.	

TABLE 8 - Existing & Planned Landuse (Continued)

MILE POST FROM	TO	LENGTH	FEATURE	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
Link 467.								
0.0	0.5	0.5	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
0.5	1.8	1.3	230KV TRANS LINE	LEVEL 3	4.	6.	1.	
1.8	2.5	0.7	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
2.5	3.1	0.6	230KV TRANS LINE	LEVEL 3	4.	6.	1.	
3.1	3.1	0.1	BACKGROUND	LEVEL 3	1.	0.	1.	
3.1	4.2	1.1	230KV TRANS LINE	LEVEL 3	4.	6.	1.	
4.2	4.2	0.0	230KV TRANS LINE	LEVEL 4	4.	6.	1.	
4.2	4.7	0.5	BACKGROUND	LEVEL 4	1.	0.	1.	
4.7	5.6	0.9	BACKGROUND	LEVEL 2	1.	0.	1.	
5.6	6.5	0.9	BACKGROUND	LEVEL 3	1.	0.	1.	
6.5	9.6	3.1	BACKGROUND	LEVEL 2	1.	0.	1.	
9.6	9.8	0.2	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
9.8	10.1	0.3	BACKGROUND	LEVEL 2	1.	0.	1.	
10.1	11.0	1.0	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
11.0	11.2	0.1	BACKGROUND	LEVEL 3	1.	0.	1.	
11.2	11.3	0.1	BACKGROUND	LEVEL 1	1.	0.	1.	
11.3	11.6	0.3	230KV TRANS LINE	LEVEL 1	4.	6.	1.	
11.6	11.8	0.2	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
11.8	12.2	0.4	230KV TRANS LINE	LEVEL 1	4.	6.	1.	
12.2	12.5	0.3	BACKGROUND	LEVEL 1	1.	0.	1.	
12.5	13.0	0.5	230KV TRANS LINE	LEVEL 1	4.	6.	1.	
13.0	13.6	0.7	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
Link 468.								
0.0	0.1	0.1	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
0.1	0.2	0.1	BACKGROUND	LEVEL 3	1.	0.	1.	
0.2	0.3	0.1	230KV TRANS LINE	LEVEL 3	4.	6.	1.	
0.3	1.5	1.2	BACKGROUND	LEVEL 3	1.	0.	1.	
1.5	2.3	0.9	BACKGROUND	LEVEL 2	1.	0.	1.	
2.3	2.9	0.6	BACKGROUND	LEVEL 4	1.	0.	1.	
Link 469.								
0.0	0.0	0.0	BACKGROUND	LEVEL 4	1.	0.	1.	
0.0	1.5	1.5	BACKGROUND	LEVEL 3	1.	0.	1.	
1.5	2.1	0.6	BACKGROUND	LEVEL 2	1.	0.	1.	
2.1	2.5	0.4	BACKGROUND	LEVEL 3	1.	0.	1.	
Link 471.								
0.0	0.1	0.1	BACKGROUND	LEVEL 4	1.	0.	1.	
0.1	0.9	0.8	BACKGROUND	LEVEL 3	1.	0.	1.	
0.9	1.4	0.5	BACKGROUND	LEVEL 2	1.	0.	1.	
1.4	2.4	1.0	BACKGROUND	LEVEL 3	1.	0.	1.	
2.4	2.7	0.3	BACKGROUND	LEVEL 2	1.	0.	1.	
2.7	3.7	1.0	BACKGROUND	LEVEL 3	1.	0.	1.	
3.7	4.9	1.2	BACKGROUND	LEVEL 4	1.	0.	1.	
4.9	9.4	4.5	BACKGROUND	LEVEL 2	1.	0.	1.	
9.4	11.4	2.0	BACKGROUND	LEVEL 3	1.	0.	1.	
11.4	11.8	0.4	BACKGROUND	LEVEL 2	1.	0.	1.	
Link 472.								
0.0	0.0	0.0	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
0.0	0.3	0.3	230KV TRANS LINE	LEVEL 3	4.	6.	1.	
0.3	0.7	0.4	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
0.7	0.7	0.1	230KV TRANS LINE	LEVEL 3	4.	6.	1.	
0.7	1.2	0.5	230KV TRANS LINE	LEVEL 2	4.	6.	1.	
Link 473.								
0.0	0.0	0.0	BACKGROUND	LEVEL 3	1.	0.	1.	
0.0	1.3	1.3	BACKGROUND	LEVEL 2	1.	0.	1.	
1.3	1.4	0.1	230KV TRANS LINE	LEVEL 2	4.	6.	1.	

TABLE 9
LAND USE RESOURCES

Landuse Jurisdiction

MILE FROM FROM	TO	LENGTH	STATE & COUNTY	OWNER/ADMIN.	DISTRICT OFFICE	RESOURCE AREA
Link 460.						
0.0	0.4	0.4	NEVADA - WHITE PINE	BLM	Ely District	Schell
0.4	0.5	0.1	NEVADA - WHITE PINE	PRIVATE	Ely District	Schell
0.5	0.6	0.1	NEVADA - WHITE PINE	BLM	Ely District	Schell
0.6	1.7	1.1	NEVADA - WHITE PINE	PRIVATE	Ely District	Schell
1.7	4.2	2.5	NEVADA - WHITE PINE	BLM	Ely District	Schell
Link 461.						
0.0	4.7	4.7	UTAH - MILLARD	BLM	Richfield District	Warm Springs
4.7	5.1	0.4	UTAH - MILLARD	STATE	Richfield District	Warm Springs
5.1	11.4	6.3	UTAH - MILLARD	BLM	Richfield District	Warm Springs
Link 463.						
0.0	4.8	4.8	NEVADA - WHITE PINE	BLM	Ely District	Schell
Link 464.						
0.0	4.0	4.0	NEVADA - WHITE PINE	BLM	Ely District	Schell
Link 465.						
0.0	2.0	2.0	NEVADA - WHITE PINE	BLM	Ely District	Schell
Link 466.						
0.0	0.6	0.6	NEVADA - WHITE PINE	BLM	Ely District	Schell
Link 467.						
0.0	0.7	0.7	NEVADA - WHITE PINE	BLM	Ely District	Schell
0.7	1.3	0.6	NEVADA - WHITE PINE	PRIVATE	Ely District	Schell
1.3	4.9	13.6	NEVADA - WHITE PINE	BLM	Ely District	Schell
4.9	5.3	13.6	NEVADA - WHITE PINE	PRIVATE	Ely District	Schell
5.3	11.3	13.6	NEVADA - WHITE PINE	BLM	Ely District	Schell
11.3	11.9	13.6	UTAH - MILLARD	PRIVATE	Warm Springs District	Warm Springs RA
11.9	12.0	13.6	UTAH - MILLARD	BLM	Warm Springs District	Warm Springs RA
12.0	13.2	13.6	UTAH - MILLARD	PRIVATE	Warm Springs District	Warm Springs RA
13.2	13.6	13.6	UTAH - MILLARD	BLM	Warm Springs District	Warm Springs RA
Link 468.						
0.0	2.9	2.9	NEVADA - WHITE PINE	BLM	Ely District	Schell
Link 469.						
0.0	2.5	2.5	NEVADA - WHITE PINE	BLM	Ely District	Schell
Link 471.						
0.0	8.7	8.7	NEVADA - WHITE PINE	BLM	Ely District	Schell
8.7	10.6	1.9	UTAH - MILLARD	BLM	Warm Springs	Warm Springs RA
10.6	11.5	0.9	UTAH - MILLARD	STATE	Warm Springs	Warm Springs RA
11.5	11.8	0.3	UTAH - MILLARD	BLM	Warm Springs	Warm Springs RA
Link 472.						
0.0	1.2	1.2	UTAH - MILLARD	BLM	Richfield District	Warm Springs
Link 473.						
0.0	1.4	1.4	UTAH - MILLARD	BLM	Richfield District	Warm Springs

TABLE 10
LAND USE RESOURCES

Impacts to Military Operating Areas

MILE POST FROM	TO	LENGTH	AREA	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 460.							
0.0	4.2	4.2	BACKGROUND	1.	0.	1.	
Link 461.							
0.0	11.4	11.4	MOA - SEVIER A	2.	0.	2.	
Link 463.							
0.0	4.8	4.8	BACKGROUND	1.	0.	1.	
Link 464.							
0.0	4.0	4.0	BACKGROUND	1.	0.	1.	
Link 465.							
0.0	2.0	2.0	BACKGROUND	1.	0.	1.	
Link 466.							
0.0	0.6	0.6	BACKGROUND	1.	0.	1.	
Link 467.							
0.0	13.6	13.6	BACKGROUND	1.	0.	1.	
Link 468.							
0.0	2.9	2.9	BACKGROUND	1.	0.	1.	
Link 469.							
0.0	2.5	2.5	BACKGROUND	1.	0.	1.	
Link 471.							
0.0	11.8	11.8	BACKGROUND	1.	0.	1.	
Link 472.							
0.0	0.3	0.3	BACKGROUND	1.	0.	1.	
0.3	1.2	0.9	MOA - SEVIER A	2.	0.	2.	
Link 473.							
0.0	0.0	0.0	BACKGROUND	1.	0.	1.	
0.0	1.4	1.4	MOA - SEVIER A	2.	0.	2.	

TABLE 11
VISUAL RESOURCES

Visual Impacts to Residences

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ DISTANCE ZONE	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 460.							
0.0	0.2	0.2	SELDOM SEEN	MOD / 3-5	1.	0.	1.
0.2	0.3	0.1	SELDOM SEEN	WEAK / 2	1.	0.	1.
0.3	0.5	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.
0.5	0.5	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
0.5	0.8	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.
0.8	0.9	0.1	SELDOM SEEN	WEAK / 2	1.	0.	1.
0.9	1.1	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.
1.1	1.1	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
1.1	1.4	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.
1.4	1.4	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
1.4	1.7	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.
1.7	1.7	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
1.7	2.0	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.
2.0	2.0	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
2.0	2.3	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.
2.3	2.5	0.2	BEYOND 3 MILES	MOD / 2	2.	0.	2.
2.5	2.6	0.0	BEYOND 3 MILES	WEAK / 2	2.	0.	2.
2.6	3.0	0.4	BEYOND 3 MILES	MOD / 2	2.	0.	2.
3.0	3.0	0.0	BEYOND 3 MILES	WEAK / 2	2.	0.	2.
3.0	3.1	0.1	BEYOND 3 MILES	MOD / 2	2.	0.	2.
3.1	3.2	0.1	1 - 3 MILES	MOD / 3-5	3.	33.	2.
3.2	3.6	0.4	1 - 3 MILES	MOD / 2	3.	31.	2.
3.6	3.8	0.2	BEYOND 3 MILES	MOD / 2	2.	0.	2.
3.8	3.9	0.1	1 - 3 MILES	MOD / 2	3.	31.	2.
3.9	4.0	0.1	1 - 3 MILES	MOD / 3-5	3.	33.	2.
4.0	4.2	0.2	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.
Link 461.							
0.0	0.0	0.0	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.
0.0	0.5	0.4	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
0.5	1.5	1.0	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.
1.5	1.7	0.2	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
1.7	1.7	0.0	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.
1.7	2.0	0.4	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
2.0	2.1	0.0	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.
2.1	2.3	0.3	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
2.3	2.4	0.1	1 - 3 MILES	MOD / 2	3.	31.	2.
2.4	4.0	1.5	1 - 3 MILES	MOD / 3-5	3.	33.	2.
4.0	4.2	0.3	1 - 3 MILES	MOD / 2	3.	31.	2.
4.2	4.5	0.3	1 - 3 MILES	WEAK / 2	2.	0.	2.
4.5	4.9	0.4	1 - 3 MILES	MOD / 3-5	3.	33.	2.
4.9	5.1	0.2	BEYOND 3 MILES	MOD / 2	2.	0.	2.
5.1	5.2	0.2	BEYOND 3 MILES	WEAK / 2	2.	0.	2.
5.2	5.6	0.3	BEYOND 3 MILES	MOD / 2	2.	0.	2.
5.6	6.3	0.7	BEYOND 3 MILES	WEAK / 2	2.	0.	2.
6.3	6.5	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.
6.5	6.6	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.
6.6	7.0	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.
7.0	7.1	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.
7.1	7.4	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.
7.4	7.7	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.
7.7	9.8	2.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.
9.8	10.1	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.
10.1	10.3	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.
10.3	10.5	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.
10.5	11.4	0.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.
Link 463.							
0.0	0.3	0.3	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.
0.3	0.7	0.4	BEYOND 3 MILES	WEAK / 3-5	2.	0.	2.
0.7	1.1	0.4	BEYOND 3 MILES	MOD / 2	2.	0.	2.
1.1	2.2	1.1	BEYOND 3 MILES	STRONG/ 3-5	2.	0.	2.
2.2	2.6	0.4	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.

TABLE 11 - Visual Impacts to Residences (Continued)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ DISTANCE ZONE	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
2.6	2.7	0.1	BEYOND 3 MILES	STRONG/ 3-5	2.	0.	2.
2.7	2.9	0.3	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.
2.9	4.4	1.5	1 - 3 MILES	MOD / 3-5	3.	33.	2.
4.4	4.8	0.4	BEYOND 3 MILES	STRONG/ 3-5	2.	0.	2.
Link 464.							
0.0	2.5	2.5	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.
2.5	2.5	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.
2.5	2.8	0.3	1 - 3 MILES	MOD / 3-5	3.	33.	2.
2.8	4.0	1.1	1 - 3 MILES	MOD / 2	3.	31.	2.
Link 465.							
0.0	0.1	0.1	1 - 3 MILES	MOD / 2	3.	31.	2.
0.1	0.2	0.1	1 - 3 MILES	MOD / 3-5	3.	33.	2.
0.2	0.4	0.2	SELDOM SEEN	MOD / 3-5	1.	0.	1.
0.4	0.5	0.1	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.
0.5	1.2	0.7	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.
1.2	1.2	0.0	1 - 3 MILES	MOD / 3-5	3.	33.	2.
1.2	2.0	0.8	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.
Link 466.							
0.0	0.6	0.6	1 - 3 MILES	MOD / 2	3.	31.	2.
Link 467.							
0.0	0.5	0.5	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
0.5	1.8	1.3	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.
1.8	1.9	0.0	1 - 3 MILES	MOD / 2	3.	31.	2.
1.9	2.5	0.6	1 - 3 MILES	WEAK / 2	2.	0.	2.
2.5	4.7	2.2	1 - 3 MILES	MOD / 3-5	3.	33.	2.
4.7	4.8	0.0	0 - .25 MI	WEAK / 2	4.	32.	4.
4.8	5.1	0.3	0 - .25 MI	MOD / 2	4.	32.	4.
5.1	5.6	0.6	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
5.6	6.5	0.9	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.
6.5	6.8	0.3	1 - 3 MILES	MOD / 2	3.	31.	2.
6.8	6.8	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.
6.8	9.7	2.9	1 - 3 MILES	MOD / 2	3.	31.	2.
9.7	9.7	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.
9.7	10.1	0.4	1 - 3 MILES	MOD / 2	3.	31.	2.
10.1	10.1	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.
10.1	10.5	0.4	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
10.5	10.5	0.0	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.
10.5	10.9	0.4	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
10.9	11.0	0.2	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.
11.0	11.2	0.1	0 - .25 MI	MOD / 3-5	4.	34.	4.
11.2	11.3	0.1	.25 MI - 1 MILE	MOD / 1	4.	9.	3.
11.3	11.4	0.0	.25 MI - 1 MILE	WEAK / 1	3.	9.	2.
11.4	11.6	0.2	.25 MI - 1 MILE	MOD / 1	4.	9.	3.
11.6	11.6	0.1	0 - .25 MI	MOD / 1	4.	35.	4.
11.6	11.8	0.2	0 - .25 MI	MOD / 2	4.	32.	4.
11.8	12.2	0.4	.25 MI - 1 MILE	MOD / 1	4.	9.	3.
12.2	12.2	0.0	.25 MI - 1 MILE	WEAK / 1	3.	9.	2.
12.2	12.7	0.4	.25 MI - 1 MILE	MOD / 1	4.	9.	3.
12.7	13.0	0.3	1 - 3 MILES	MOD / 1	3.	9.	2.
13.0	13.6	0.7	1 - 3 MILES	MOD / 2	3.	31.	2.
Link 468.							
0.0	0.1	0.1	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
0.1	0.8	0.8	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.
0.8	1.1	0.2	1 - 3 MILES	MOD / 3-5	3.	33.	2.
1.1	1.2	0.2	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.
1.2	1.3	0.0	1 - 3 MILES	MOD / 3-5	3.	33.	2.
1.3	1.5	0.2	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.
1.5	1.5	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.
1.5	1.6	0.2	1 - 3 MILES	MOD / 2	3.	31.	2.
1.6	1.7	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.
1.7	1.8	0.1	1 - 3 MILES	MOD / 2	3.	31.	2.
1.8	1.8	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.
1.8	2.0	0.2	1 - 3 MILES	MOD / 2	3.	31.	2.
2.0	2.0	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.
2.0	2.4	0.4	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.
2.4	2.9	0.6	BEYOND 3 MILES	STRONG/ 3-5	2.	0.	2.

TABLE 11 - Visual Impacts to Residences (Continued)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ DISTANCE ZONE	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 469.							
0.0	0.6	0.6	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.
0.6	1.5	0.9	1 - 3 MILES	MOD / 3-5	3.	33.	2.
1.5	1.7	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.
1.7	2.5	0.7	BEYOND 3 MILES	MOD / 2	2.	0.	2.
Link 471.							
0.0	0.9	0.9	BEYOND 3 MILES	STRONG/ 3-5	2.	0.	2.
0.9	1.7	0.7	SELDOM SEEN	MOD / 2	1.	0.	1.
1.7	2.4	0.7	1 - 3 MILES	MOD / 3-5	3.	33.	2.
2.4	3.3	0.9	1 - 3 MILES	MOD / 2	3.	31.	2.
3.3	4.9	1.6	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.
4.9	5.6	0.7	1 - 3 MILES	MOD / 2	3.	31.	2.
5.6	8.3	2.7	BEYOND 3 MILES	MOD / 2	2.	0.	2.
8.3	9.4	1.1	1 - 3 MILES	MOD / 2	3.	31.	2.
9.4	9.5	0.1	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.
9.5	11.4	1.9	1 - 3 MILES	MOD / 3-5	3.	33.	2.
11.4	11.7	0.3	1 - 3 MILES	MOD / 2	3.	31.	2.
11.7	11.8	0.1	1 - 3 MILES	WEAK / 2	2.	0.	2.
Link 472.							
0.0	0.0	0.0	1 - 3 MILES	MOD / 2	3.	31.	2.
0.0	0.3	0.3	1 - 3 MILES	MOD / 3-5	3.	33.	2.
0.3	0.3	0.0	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.
0.3	0.7	0.4	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
0.7	0.7	0.1	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.
0.7	0.8	0.0	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.
0.8	1.2	0.4	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
Link 473.							
0.0	0.0	0.0	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.
0.0	0.1	0.1	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
0.1	0.8	0.7	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.
0.8	1.0	0.2	0 - .25 MI	MOD / 3-5	4.	34.	4.
1.0	1.1	0.1	0 - .25 MI	MOD / 2	4.	32.	4.
1.1	1.1	0.0	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.
1.1	1.2	0.1	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
1.2	1.3	0.0	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.
1.3	1.3	0.1	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
1.3	1.4	0.1	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.

TABLE 12
VISUAL RESOURCES

Visual Impacts to Recreation Viewsheds (High Sensitivity)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
Link 460.								
0.0	0.2	0.2	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.	Osceola Geologic Area
0.2	0.3	0.1	BEYOND 3 MILES	WEAK / 2	2.	0.	2.	Osceola Geologic Area
0.3	0.5	0.2	1 - 3 MILES	MOD / 2	3.	31.	2.	Osceola Geologic Area
0.5	0.5	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	Osceola Geologic Area
0.5	0.8	0.3	1 - 3 MILES	MOD / 2	3.	31.	2.	Osceola Geologic Area
0.8	0.9	0.1	SELDOM SEEN	WEAK / 2	1.	0.	1.	
0.9	1.1	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.1	1.1	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.1	1.4	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.4	1.4	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.4	1.7	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.7	1.7	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.7	2.0	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
2.0	2.0	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
2.0	2.3	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
2.3	2.5	0.3	BEYOND 3 MILES	MOD / 2	2.	0.	2.	Proposed GBNP Interpretive Site
2.5	2.6	0.0	BEYOND 3 MILES	WEAK / 2	2.	0.	2.	Proposed GBNP Interpretive Site
2.6	2.6	0.1	BEYOND 3 MILES	MOD / 2	2.	0.	2.	Proposed GBNP Interpretive Site
2.6	3.0	0.3	1 - 3 MILES	MOD / 2	3.	31.	2.	Great Basin National Park
3.0	3.0	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	Great Basin National Park
3.0	3.1	0.1	1 - 3 MILES	MOD / 2	3.	31.	2.	Great Basin National Park
3.1	3.2	0.1	1 - 3 MILES	MOD / 3-5	3.	33.	2.	Great Basin National Park
3.2	3.9	0.7	1 - 3 MILES	MOD / 2	3.	31.	2.	Great Basin National Park
3.9	4.2	0.3	1 - 3 MILES	MOD / 3-5	3.	33.	2.	Great Basin National Park
Link 461.								
0.0	0.0	0.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
0.0	0.5	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.5	1.5	1.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
1.5	1.7	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.7	1.7	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.7	2.0	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
2.0	2.1	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
2.1	2.4	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
2.4	4.0	1.5	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
4.0	4.2	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
4.2	4.5	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.	
4.5	4.9	0.4	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
4.9	5.1	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
5.1	5.2	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.	
5.2	5.6	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
5.6	6.5	0.9	SELDOM SEEN	WEAK / 2	1.	0.	1.	
6.5	6.6	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
6.6	7.0	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.	
7.0	7.1	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
7.1	7.4	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.	
7.4	7.7	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
7.7	9.8	2.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
9.8	10.1	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
10.1	10.3	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.	
10.3	10.5	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
10.5	11.4	0.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
Link 463.								
0.0	0.3	0.3	1 - 3 MILES	MOD / 3-5	3.	33.	2.	Sacramento Pass Recreation Area
0.3	0.7	0.4	1 - 3 MILES	WEAK / 3-5	2.	0.	2.	Sacramento Pass Recreation Area
0.7	1.1	0.4	.25 MI - 1 MILE	MOD / 2	4.	31.	3.	Sacramento Pass Recreation Area
1.1	2.5	1.4	.25 MI - 1 MILE	STRONG/ 3-5	4.	34.	3.	Sacramento Pass Recreation Area
2.5	2.7	0.2	0 - .25 MI	STRONG/ 3-5	4.	34.	4.	Sacramento Pass Recreation Area
2.7	2.9	0.3	.25 MI - 1 MILE	STRONG/ 3-5	4.	34.	3.	Sacramento Pass Recreation Area
2.9	4.1	1.1	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.	Sacramento Pass Recreation Area
4.1	4.4	0.3	1 - 3 MILES	MOD / 3-5	3.	33.	2.	Sacramento Pass Recreation Area
4.4	4.8	0.4	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	Sacramento Pass Recreation Area

TABLE 12 - Visual Impacts to Recreation Viewsheds (High Sensitivity) (Continued)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
Link 464								
0.0	2.5	2.5	1 - 3 MILES	MOD / 3-5	3.	33.	2.	Sacramento Pass Recreation Area
2.5	2.5	0.0	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.	Sacramento Pass Recreation Area
2.5	2.8	0.3	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.	Sacramento Pass Recreation Area
2.8	3.1	0.3	0 - .25 MI	MOD / 2	4.	32.	4.	Sacramento Pass Recreation Area
3.1	4.0	0.8	.25 MI - 1 MILE	MOD / 2	4.	31.	3.	Sacramento Pass Recreation Area
4.0	4.0	0.0	1 - 3 MILES	MOD / 2	3.	31.	2.	Sacramento Pass Recreation Area
Link 465								
0.0	0.1	0.1	1 - 3 MILES	MOD / 2	3.	31.	2.	Sacramento Pass Rec. Area & GBNP
0.1	0.4	0.3	1 - 3 MILES	MOD / 3-5	3.	33.	2.	Sacramento Pass Rec. Area & GBNP
0.4	1.2	0.7	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	Sacramento Pass Rec. Area & GBNP
1.2	1.2	0.0	1 - 3 MILES	MOD / 3-5	3.	33.	2.	Sacramento Pass Rec. Area & GBNP
1.2	2.0	0.8	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	Sacramento Pass Rec. Area & GBNP
Link 466								
0.0	0.6	0.6	1 - 3 MILES	MOD / 2	3.	31.	2.	Sacramento Pass Rec. Area & GBNP
Link 467								
0.0	0.5	0.5	1 - 3 MILES	MOD / 2	3.	31.	2.	Residence
0.5	1.8	1.3	1 - 3 MILES	MOD / 3-5	3.	33.	2.	Residence
1.8	1.9	0.0	BEYOND 3 MILES	MOD / 2	2.	0.	2.	Residence
1.9	2.5	0.6	BEYOND 3 MILES	WEAK / 2	2.	0.	2.	Residence
2.5	3.1	0.6	SELDOM SEEN	MOD / 3-5	1.	0.	1.	Residence
3.1	3.3	0.1	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.	Residence
3.3	4.7	1.5	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
4.7	4.8	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
4.8	5.6	0.9	SELDOM SEEN	MOD / 2	1.	0.	1.	
5.6	6.5	0.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
6.5	6.8	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
6.8	6.8	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
6.8	9.7	2.9	SELDOM SEEN	MOD / 2	1.	0.	1.	
9.7	9.7	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
9.7	10.1	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
10.1	10.1	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
10.1	10.5	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
10.5	10.5	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
10.5	10.9	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
10.9	11.0	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.	
11.0	11.2	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
11.2	11.3	0.1	SELDOM SEEN	MOD / 1	1.	0.	1.	
11.3	11.4	0.0	SELDOM SEEN	WEAK / 1	1.	0.	1.	
11.4	11.6	0.3	SELDOM SEEN	MOD / 1	1.	0.	1.	
11.6	11.8	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
11.8	12.2	0.4	SELDOM SEEN	MOD / 1	1.	0.	1.	
12.2	12.2	0.0	SELDOM SEEN	WEAK / 1	1.	0.	1.	
12.2	13.0	0.7	SELDOM SEEN	MOD / 1	1.	0.	1.	
13.0	13.6	0.7	SELDOM SEEN	MOD / 2	1.	0.	1.	
Link 468								
0.0	0.1	0.1	1 - 3 MILES	MOD / 2	3.	31.	2.	Sacramento Pass Recreation Area
0.1	1.1	1.0	1 - 3 MILES	MOD / 3-5	3.	33.	2.	Sacramento Pass Recreation Area
1.1	1.2	0.2	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	Sacramento Pass Recreation Area
1.2	1.3	0.0	1 - 3 MILES	MOD / 3-5	3.	33.	2.	Sacramento Pass Recreation Area
1.3	1.5	0.2	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	Sacramento Pass Recreation Area
1.5	1.5	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	Sacramento Pass Recreation Area
1.5	1.6	0.2	1 - 3 MILES	MOD / 2	3.	31.	2.	Sacramento Pass Recreation Area
1.6	1.7	0.0	BEYOND 3 MILES	WEAK / 2	2.	0.	2.	Sacramento Pass Recreation Area
1.7	1.8	0.1	BEYOND 3 MILES	MOD / 2	2.	0.	2.	Sacramento Pass Recreation Area
1.8	1.8	0.0	BEYOND 3 MILES	WEAK / 2	2.	0.	2.	Sacramento Pass Recreation Area
1.8	2.0	0.2	BEYOND 3 MILES	MOD / 2	2.	0.	2.	Sacramento Pass Recreation Area
2.0	2.0	0.0	BEYOND 3 MILES	WEAK / 2	2.	0.	2.	Sacramento Pass Recreation Area
2.0	2.2	0.2	BEYOND 3 MILES	STRONG/ 3-5	2.	0.	2.	Sacramento Pass Recreation Area
2.2	2.9	0.7	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	Sacramento Pass Recreation Area
2.9	2.9	0.0	BEYOND 3 MILES	STRONG/ 3-5	2.	0.	2.	Sacramento Pass Recreation Area
Link 469								
0.0	0.6	0.6	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	Residence
0.6	1.5	0.9	1 - 3 MILES	MOD / 3-5	3.	33.	2.	Residence
1.5	2.5	0.9	SELDOM SEEN	MOD / 2	1.	0.	1.	
Link 471								
0.0	0.9	0.9	BEYOND 3 MILES	STRONG/ 3-5	2.	0.	2.	Sacramento Pass Recreation Area
0.9	1.7	0.7	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.7	2.4	0.7	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
2.4	3.3	0.9	SELDOM SEEN	MOD / 2	1.	0.	1.	
3.3	4.9	1.6	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	

TABLE 12 - Visual Impacts to Recreation Viewsheds (High Sensitivity) (Continued)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
4.9	9.4	4.5	SELDOM SEEN	MOD / 2	1.	0.	1.	
9.4	9.5	0.1	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
9.5	11.4	1.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
11.4	11.7	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
11.7	11.8	0.1	SELDOM SEEN	WEAK / 2	1.	0.	1.	
Link 472								
0.0	0.0	0.0	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.0	0.3	0.3	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
0.3	0.3	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
0.3	0.7	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.7	0.7	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
0.7	0.8	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
0.8	1.2	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
Link 473								
0.0	0.0	0.0	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
0.0	0.1	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.1	1.0	0.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
1.0	1.1	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.1	1.1	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.1	1.2	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.2	1.3	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.3	1.3	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.3	1.4	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	

TABLE 13
VISUAL RESOURCES

Visual Impacts to Recreation Viewsheds (Moderate Sensitivity)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
Link 460.								
0.0	0.2	0.2	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
0.2	0.3	0.1	SELDOM SEEN	WEAK / 2	1.	0.	1.	
0.3	0.4	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.4	0.5	0.1	.25 MI - 1 MILE	MOD / 2	3.	31.	2.	
0.5	0.5	0.0	0 - .25 MI	WEAK / 2	3.	31.	2.	
0.5	0.8	0.3	0 - .25 MI	MOD / 2	4.	31.	3.	
0.8	0.9	0.1	0 - .25 MI	WEAK / 2	3.	31.	2.	
0.9	1.0	0.1	0 - .25 MI	MOD / 2	4.	31.	3.	
1.0	1.1	0.1	.25 MI - 1 MILE	MOD / 2	3.	31.	2.	
1.1	1.1	0.0	.25 MI - 1 MILE	WEAK / 2	2.	0.	2.	
1.1	1.4	0.3	.25 MI - 1 MILE	MOD / 2	3.	31.	2.	
1.4	1.4	0.0	.25 MI - 1 MILE	WEAK / 2	2.	0.	2.	
1.4	1.7	0.3	.25 MI - 1 MILE	MOD / 2	3.	31.	2.	
1.7	1.7	0.0	.25 MI - 1 MILE	WEAK / 2	2.	0.	2.	
1.7	2.0	0.3	1 - 3 MILES	MOD / 2	2.	0.	2.	
2.0	2.0	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	
2.0	2.5	0.6	1 - 3 MILES	MOD / 2	2.	0.	2.	
2.5	2.6	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	
2.6	3.0	0.4	1 - 3 MILES	MOD / 2	2.	0.	2.	
3.0	3.0	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	
3.0	3.1	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
3.1	3.2	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
3.2	3.9	0.7	SELDOM SEEN	MOD / 2	1.	0.	1.	
3.9	4.2	0.3	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
Link 461.								
0.0	0.0	0.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
0.0	0.5	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.5	1.5	1.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
1.5	1.7	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.7	1.7	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.7	2.0	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
2.0	2.1	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
2.1	2.4	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
2.4	4.0	1.5	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
4.0	4.2	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
4.2	4.5	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.	
4.5	4.9	0.4	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
4.9	5.1	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
5.1	5.2	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.	
5.2	5.6	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
5.6	6.5	0.9	SELDOM SEEN	WEAK / 2	1.	0.	1.	
6.5	6.6	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
6.6	7.0	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.	
7.0	7.1	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
7.1	7.4	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.	
7.4	7.7	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
7.7	9.8	2.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
9.8	10.1	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
10.1	10.3	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.	
10.3	10.5	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
10.5	11.4	0.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
Link 463.								
0.0	0.3	0.3	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
0.3	0.7	0.4	SELDOM SEEN	WEAK / 3-5	1.	0.	1.	
0.7	1.1	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.1	2.9	1.8	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
2.9	4.4	1.5	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
4.4	4.8	0.4	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	

TABLE 13 - Visual Impacts to Recreation Viewsheds (Moderate Sensitivity) (Continued)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
Link 464.								
0.0	2.5	2.5	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
2.5	2.5	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
2.5	2.8	0.3	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
2.8	4.0	1.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
Link 465.								
0.0	0.1	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.1	0.4	0.3	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
0.4	1.2	0.7	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
1.2	1.2	0.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
1.2	2.0	0.8	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
Link 466.								
0.0	0.6	0.6	SELDOM SEEN	MOD / 2	1.	0.	1.	
Link 467.								
0.0	0.5	0.5	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.5	1.8	1.3	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
1.8	1.9	0.0	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.9	2.5	0.6	SELDOM SEEN	WEAK / 2	1.	0.	1.	
2.5	4.7	2.2	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
4.7	4.8	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
4.8	5.6	0.9	SELDOM SEEN	MOD / 2	1.	0.	1.	
5.6	6.5	0.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
6.5	6.8	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
6.8	6.8	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
6.8	9.7	2.9	SELDOM SEEN	MOD / 2	1.	0.	1.	
9.7	9.7	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
9.7	10.1	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
10.1	10.1	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
10.1	10.5	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
10.5	10.5	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
10.5	10.9	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
10.9	11.0	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.	
11.0	11.2	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
11.2	11.3	0.1	SELDOM SEEN	MOD / 1	1.	0.	1.	
11.3	11.4	0.0	SELDOM SEEN	WEAK / 1	1.	0.	1.	
11.4	11.6	0.3	SELDOM SEEN	MOD / 1	1.	0.	1.	
11.6	11.8	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
11.8	12.2	0.4	SELDOM SEEN	MOD / 1	1.	0.	1.	
12.2	12.2	0.0	SELDOM SEEN	WEAK / 1	1.	0.	1.	
12.2	13.0	0.7	SELDOM SEEN	MOD / 1	1.	0.	1.	
13.0	13.6	0.7	SELDOM SEEN	MOD / 2	1.	0.	1.	
Link 468.								
0.0	0.1	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.1	1.1	1.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
1.1	1.2	0.2	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
1.2	1.3	0.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
1.3	1.5	0.2	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
1.5	1.5	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.5	1.6	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.6	1.7	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.7	1.8	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.8	1.8	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.8	2.0	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
2.0	2.0	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
2.0	2.9	0.9	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
Link 469.								
0.0	0.6	0.6	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
0.6	1.5	0.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
1.5	2.5	0.9	SELDOM SEEN	MOD / 2	1.	0.	1.	
Link 471.								
0.0	0.9	0.9	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
0.9	1.7	0.7	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.7	2.4	0.7	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
2.4	3.3	0.9	SELDOM SEEN	MOD / 2	1.	0.	1.	

TABLE 13 - Visual Impacts to Recreation Viewsheds (Moderate Sensitivity) (Continued)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
3.3	4.9	1.6	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
4.9	9.4	4.5	SELDOM SEEN	MOD / 2	1.	0.	1.	
9.4	9.5	0.1	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
9.5	11.4	1.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
11.4	11.7	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
11.7	11.8	0.1	SELDOM SEEN	WEAK / 2	1.	0.	1.	
Link 472.								
0.0	0.0	0.0	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.0	0.3	0.3	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
0.3	0.3	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
0.3	0.7	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.7	0.7	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
0.7	0.8	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
0.8	1.2	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
Link 473.								
0.0	0.0	0.0	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
0.0	0.1	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.1	1.0	0.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
1.0	1.1	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.1	1.1	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.1	1.2	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.2	1.3	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.3	1.3	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.3	1.4	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	

TABLE 14
VISUAL RESOURCES

Visual Impacts to Transportation Viewsheds (High Sensitivity)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
Link 460								
0.0	0.2	0.2	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
0.2	0.3	0.1	SELDOM SEEN	WEAK / 2	1.	0.	1.	
0.3	0.5	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.5	0.5	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
0.5	0.8	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.8	0.9	0.1	SELDOM SEEN	WEAK / 2	1.	0.	1.	
0.9	1.1	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.1	1.1	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.1	1.4	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.4	1.4	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.4	1.7	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.7	1.7	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.7	2.0	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
2.0	2.0	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
2.0	2.5	0.6	SELDOM SEEN	MOD / 2	1.	0.	1.	
2.5	2.6	0.0	BEYOND 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
2.6	3.0	0.4	BEYOND 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
3.0	3.0	0.0	BEYOND 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
3.0	3.1	0.1	BEYOND 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
3.1	3.2	0.1	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
3.2	3.9	0.7	BEYOND 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
3.9	4.2	0.3	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
Link 461								
0.0	0.0	0.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
0.0	0.5	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.5	1.5	1.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
1.5	1.7	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.7	1.7	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.7	2.0	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
2.0	2.1	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
2.1	2.4	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
2.4	4.0	1.5	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
4.0	4.2	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
4.2	4.5	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.	
4.5	4.9	0.4	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
4.9	5.1	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
5.1	5.2	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.	
5.2	5.6	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
5.6	6.5	0.9	SELDOM SEEN	WEAK / 2	1.	0.	1.	
6.5	6.6	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
6.6	7.0	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.	
7.0	7.1	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
7.1	7.4	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.	
7.4	7.7	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
7.7	9.8	2.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
9.8	10.1	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
10.1	10.3	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.	
10.3	10.5	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
10.5	11.4	0.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
Link 463								
0.0	0.3	0.3	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
0.3	0.7	0.4	1 - 3 MILES	WEAK / 3-5	2.	0.	2.	US Highway 6/50
0.7	1.1	0.4	1 - 3 MILES	MOD / 2	3.	31.	2.	US Highway 6/50
1.1	2.9	1.8	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	US Highway 6/50
2.9	3.1	0.1	1 - 3 MILES	MOD / 3-5	3.	33.	2.	US Highway 6/50
3.1	3.7	0.6	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.	US Highway 6/50
3.7	3.8	0.1	1 - 3 MILES	MOD / 3-5	3.	33.	2.	US Highway 6/50
3.8	4.1	0.3	SELDOM SEEN	MOD / 3-5	1.	0.	1.	US Highway 6/50
4.1	4.4	0.3	1 - 3 MILES	MOD / 3-5	3.	33.	2.	US Highway 6/50
4.4	4.8	0.4	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	US Highway 6/50

TABLE 14 - Visual Impacts to Transportation Viewsheds (High Sensitivity) (Continued)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
Link 464								
0.0	2.5	2.5	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
2.5	2.5	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
2.5	2.6	0.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
2.6	2.8	0.2	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
2.8	2.8	0.1	1 - 3 MILES	MOD / 3-5	3.	33.	2.	US Highway 6/50
2.8	3.1	0.3	1 - 3 MILES	MOD / 2	3.	31.	2.	US Highway 6/50
3.1	3.2	0.1	BEYOND 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
3.2	4.0	0.8	1 - 3 MILES	MOD / 2	3.	31.	2.	US Highway 6/50
Link 465								
0.0	0.1	0.1	1 - 3 MILES	MOD / 2	3.	31.	2.	US Highway 6/50
0.1	0.4	0.3	1 - 3 MILES	MOD / 3-5	3.	33.	2.	US Highway 6/50
0.4	1.2	0.7	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	US Highway 6/50
1.2	1.2	0.0	1 - 3 MILES	MOD / 3-5	3.	33.	2.	US Highway 6/50
1.2	2.0	0.8	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	US Highway 6/50
Link 466								
0.0	0.6	0.6	1 - 3 MILES	MOD / 2	3.	31.	2.	US Highway 6/50
Link 467								
0.0	0.5	0.5	1 - 3 MILES	MOD / 2	3.	31.	2.	
0.5	1.8	1.3	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.	
1.8	1.9	0.0	1 - 3 MILES	MOD / 2	3.	31.	2.	
1.9	2.5	0.6	1 - 3 MILES	WEAK / 2	2.	0.	2.	
2.5	4.7	2.2	1 - 3 MILES	MOD / 3-5	3.	33.	2.	
4.7	4.8	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	
4.8	5.1	0.3	1 - 3 MILES	MOD / 2	3.	31.	2.	
5.1	5.6	0.6	.25 MI - 1 MILE	MOD / 2	4.	31.	3.	
5.6	6.5	0.9	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.	
6.5	6.8	0.3	0 - .25 MI	MOD / 2	4.	32.	4.	
6.8	6.8	0.0	0 - .25 MI	WEAK / 2	4.	32.	4.	
6.8	9.6	2.8	0 - .25 MI	MOD / 2	4.	32.	4.	
9.6	9.7	0.1	1 - 3 MILES	MOD / 2	3.	31.	2.	
9.7	9.7	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	
9.7	10.1	0.4	1 - 3 MILES	MOD / 2	3.	31.	2.	
10.1	10.1	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	
10.1	10.5	0.4	1 - 3 MILES	MOD / 2	3.	31.	2.	
10.5	10.5	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	
10.5	10.7	0.2	1 - 3 MILES	MOD / 2	3.	31.	2.	
10.7	10.9	0.2	BEYOND 3 MILES	MOD / 2	2.	0.	2.	
10.9	11.0	0.2	BEYOND 3 MILES	WEAK / 2	2.	0.	2.	
11.0	11.2	0.1	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.	
11.2	11.3	0.1	BEYOND 3 MILES	MOD / 1	2.	0.	2.	
11.3	11.4	0.0	BEYOND 3 MILES	WEAK / 1	2.	0.	2.	
11.4	11.6	0.3	BEYOND 3 MILES	MOD / 1	2.	0.	2.	
11.6	11.8	0.2	BEYOND 3 MILES	MOD / 2	2.	0.	2.	
11.8	12.2	0.4	BEYOND 3 MILES	MOD / 1	2.	0.	2.	
12.2	12.2	0.0	BEYOND 3 MILES	WEAK / 1	2.	0.	2.	
12.2	13.0	0.7	BEYOND 3 MILES	MOD / 1	2.	0.	2.	
13.0	13.5	0.6	BEYOND 3 MILES	MOD / 2	2.	0.	2.	
13.5	13.6	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
Link 468								
0.0	0.1	0.1	1 - 3 MILES	MOD / 2	3.	31.	2.	US Highway 6/50
0.1	0.2	0.1	1 - 3 MILES	MOD / 3-5	3.	33.	2.	US Highway 6/50
0.2	1.1	0.9	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
1.1	1.2	0.2	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
1.2	1.3	0.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
1.3	1.5	0.2	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.	
1.5	1.5	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.5	1.6	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.6	1.6	0.1	BEYOND 3 MILES	MOD / 2	2.	0.	2.	Road to Mt. Moriah Wilderness
1.6	1.7	0.0	BEYOND 3 MILES	WEAK / 2	2.	0.	2.	Road to Mt. Moriah Wilderness
1.7	1.8	0.1	BEYOND 3 MILES	MOD / 2	2.	0.	2.	Road to Mt. Moriah Wilderness
1.8	1.8	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	Road to Mt. Moriah Wilderness
1.8	2.0	0.2	1 - 3 MILES	MOD / 2	3.	31.	2.	Road to Mt. Moriah Wilderness
2.0	2.0	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	Road to Mt. Moriah Wilderness
2.0	2.8	0.8	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	Road to Mt. Moriah Wilderness

TABLE 14 - Visual Impacts to Transportation Viewsheds (High Sensitivity) (Continued)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
2.8	2.9	0.1	BEYOND 3 MILES	STRONG/ 3-5	2.	0.	2.	Road to Mt. Moriah Wilderness
2.9	2.9	0.1	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	Road to Mt. Moriah Wilderness
Link 469								
0.0	0.6	0.6	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	Road to Mt. Moriah Wilderness
0.6	1.5	0.9	1 - 3 MILES	MOD / 3-5	3.	33.	2.	Road to Mt. Moriah Wilderness
1.5	2.5	0.9	1 - 3 MILES	MOD / 2	3.	31.	2.	Road to Mt. Moriah Wilderness
Link 471								
0.0	0.9	0.9	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	Road to Mt. Moriah Wilderness
0.9	1.7	0.7	BEYOND 3 MILES	MOD / 2	2.	0.	2.	Road to Mt. Moriah Wilderness
1.7	2.4	0.7	1 - 3 MILES	MOD / 3-5	3.	33.	2.	Road to Mt. Moriah Wilderness
2.4	3.3	0.9	1 - 3 MILES	MOD / 2	3.	31.	2.	Road to Mt. Moriah Wilderness
3.3	4.9	1.6	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	Road to Mt. Moriah Wilderness
4.9	5.2	0.3	1 - 3 MILES	MOD / 2	3.	31.	2.	Road to Mt. Moriah Wilderness
5.2	6.6	1.4	.25 MI - 1 MILE	MOD / 2	4.	31.	3.	Road to Mt. Moriah Wilderness
6.6	8.3	1.7	0 - .25 MI	MOD / 2	4.	32.	4.	Crossing of road into Mt. Moriah Wilderness
8.3	9.4	1.1	1 - 3 MILES	MOD / 2	3.	31.	2.	Road to Mt. Moriah Wilderness
9.4	9.5	0.1	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.	Road to Mt. Moriah Wilderness
9.5	10.4	0.9	1 - 3 MILES	MOD / 3-5	3.	33.	2.	Road to Mt. Moriah Wilderness
10.4	11.4	1.0	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.	Road to Mt. Moriah Wilderness
11.4	11.7	0.3	BEYOND 3 MILES	MOD / 2	2.	0.	2.	Road to Mt. Moriah Wilderness
11.7	11.8	0.1	BEYOND 3 MILES	WEAK / 2	2.	0.	2.	Road to Mt. Moriah Wilderness
Link 472								
0.0	0.0	0.0	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.0	0.3	0.3	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
0.3	0.3	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
0.3	0.7	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
0.7	0.7	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
0.7	0.8	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
0.8	1.2	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.	
Link 473								
0.0	0.0	0.0	BEYOND 3 MILES	STRONG/ 3-5	2.	0.	2.	
0.0	0.1	0.1	BEYOND 3 MILES	MOD / 2	2.	0.	2.	
0.1	0.6	0.5	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.	
0.6	1.0	0.4	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
1.0	1.1	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.1	1.1	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.1	1.2	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.2	1.3	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.	
1.3	1.3	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.	
1.3	1.4	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	

TABLE 15
VISUAL RESOURCES

Visual Impacts to Transportation Viewsheds (Moderate Sensitivity)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
Link 460.								
0.0	0.2	0.2	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
0.2	0.3	0.1	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
0.3	0.5	0.2	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
0.5	0.5	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
0.5	0.8	0.3	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
0.8	0.9	0.1	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
0.9	1.1	0.2	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
1.1	1.1	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
1.1	1.4	0.3	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
1.4	1.4	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
1.4	1.7	0.3	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
1.7	1.7	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
1.7	1.8	0.1	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
1.8	2.0	0.2	BEYOND 3 MILES	MOD / 2	1.	0.	1.	US Highway 6/50
2.0	2.0	0.0	BEYOND 3 MILES	WEAK / 2	1.	0.	1.	US Highway 6/50
2.0	2.5	0.6	BEYOND 3 MILES	MOD / 2	1.	0.	1.	US Highway 6/50
2.5	2.6	0.0	BEYOND 3 MILES	WEAK / 2	1.	0.	1.	US Highway 6/50
2.6	3.0	0.4	BEYOND 3 MILES	MOD / 2	1.	0.	1.	US Highway 6/50
3.0	3.0	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
3.0	3.1	0.1	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
3.1	3.2	0.1	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
3.2	3.9	0.7	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
3.9	4.2	0.3	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
Link 461.								
0.0	0.0	0.0	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
0.0	0.5	0.4	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
0.5	1.5	1.0	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
1.5	1.5	0.0	BEYOND 3 MILES	MOD / 3-5	1.	0.	1.	US Highway 6/50
1.5	1.7	0.2	BEYOND 3 MILES	MOD / 2	1.	0.	1.	US Highway 6/50
1.7	1.7	0.0	BEYOND 3 MILES	WEAK / 2	1.	0.	1.	US Highway 6/50
1.7	2.0	0.4	BEYOND 3 MILES	MOD / 2	1.	0.	1.	US Highway 6/50
2.0	2.1	0.0	BEYOND 3 MILES	WEAK / 2	1.	0.	1.	US Highway 6/50
2.1	2.4	0.4	BEYOND 3 MILES	MOD / 2	1.	0.	1.	US Highway 6/50
2.4	4.0	1.5	BEYOND 3 MILES	MOD / 3-5	1.	0.	1.	US Highway 6/50
4.0	4.2	0.3	BEYOND 3 MILES	MOD / 2	1.	0.	1.	US Highway 6/50
4.2	4.5	0.3	BEYOND 3 MILES	WEAK / 2	1.	0.	1.	US Highway 6/50
4.5	4.9	0.4	BEYOND 3 MILES	MOD / 3-5	1.	0.	1.	US Highway 6/50
4.9	5.1	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
5.1	5.2	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.	
5.2	5.6	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
5.6	6.5	0.9	SELDOM SEEN	WEAK / 2	1.	0.	1.	
6.5	6.6	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.	
6.6	7.0	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.	
7.0	7.1	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
7.1	7.4	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.	
7.4	7.7	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
7.7	9.8	2.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
9.8	10.1	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
10.1	10.3	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.	
10.3	10.5	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.	
10.5	11.4	0.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.	
Link 463.								
0.0	0.3	0.3	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
0.3	0.7	0.4	1 - 3 MILES	WEAK / 3-5	2.	0.	2.	US Highway 6/50
0.7	1.1	0.4	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
1.1	2.4	1.3	1 - 3 MILES	STRONG/ 3-5	2.	0.	2.	US Highway 6/50
2.4	2.9	0.6	.25 MI - 1 MILE	STRONG/ 3-5	3.	33.	2.	US Highway 6/50
2.9	3.2	0.3	.25 MI - 1 MILE	MOD / 3-5	3.	33.	2.	US Highway 6/50

TABLE 15 - Visual Impacts to Transportation Viewsheds (Moderate Sensitivity) (Continued)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
3.2	3.7	0.4	0 - .25 MI	MOD / 3-5	4.	33.	3.	Crossing of US Highway 6/50
3.7	4.4	0.7	.25 MI - 1 MILE	MOD / 3-5	3.	33.	2.	US Highway 6/50
4.4	4.8	0.4	.25 MI - 1 MILE	STRONG/ 3-5	3.	33.	2.	US Highway 6/50
Link 464.								
0.0	2.5	2.5	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
2.5	2.5	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
2.5	2.8	0.3	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
2.8	3.2	0.4	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
3.2	4.0	0.8	.25 MI - 1 MILE	MOD / 2	3.	31.	2.	US Highway 6/50
Link 465.								
0.0	0.1	0.1	.25 MI - 1 MILE	MOD / 2	3.	31.	2.	US Highway 6/50
0.1	0.3	0.2	.25 MI - 1 MILE	MOD / 3-5	3.	33.	2.	US Highway 6/50
0.3	0.4	0.1	0 - .25 MI	MOD / 3-5	4.	33.	3.	Crossing US Highway 6/50
0.4	1.0	0.6	0 - .25 MI	STRONG/ 3-5	4.	34.	3.	Crossing US Highway 6/50
1.0	1.2	0.2	.25 MI - 1 MILE	STRONG/ 3-5	3.	33.	2.	US Highway 6/50
1.2	1.2	0.0	.25 MI - 1 MILE	MOD / 3-5	3.	33.	2.	US Highway 6/50
1.2	1.8	0.7	.25 MI - 1 MILE	STRONG/ 3-5	3.	33.	2.	US Highway 6/50
1.8	2.0	0.2	1 - 3 MILES	STRONG/ 3-5	2.	0.	2.	US Highway 6/50
Link 466.								
0.0	0.6	0.6	.25 MI - 1 MILE	MOD / 2	3.	31.	2.	US Highway 6/50
Link 467.								
0.0	0.5	0.5	0 - .25 MI	MOD / 2	4.	31.	3.	Crossing US Highway 6/50
0.5	1.8	1.3	0 - .25 MI	MOD / 3-5	4.	33.	3.	Crossing US Highway 6/50
1.8	1.9	0.0	.25 MI - 1 MILE	MOD / 2	3.	31.	2.	US Highway 6/50
1.9	2.5	0.6	.25 MI - 1 MILE	WEAK / 2	2.	0.	2.	US Highway 6/50
2.5	2.5	0.0	.25 MI - 1 MILE	MOD / 3-5	3.	33.	2.	US Highway 6/50
2.5	4.7	2.2	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
4.7	4.8	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
4.8	5.6	0.9	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
5.6	6.5	0.9	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
6.5	6.8	0.3	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
6.8	6.8	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
6.8	9.7	2.9	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
9.7	9.7	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
9.7	10.1	0.4	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
10.1	10.1	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
10.1	10.5	0.4	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
10.5	10.5	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
10.5	10.7	0.2	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
10.7	10.9	0.2	.25 MI - 1 MILE	MOD / 2	3.	31.	2.	US Highway 6/50
10.9	11.0	0.2	.25 MI - 1 MILE	WEAK / 2	2.	0.	2.	US Highway 6/50
11.0	11.2	0.1	.25 MI - 1 MILE	MOD / 3-5	3.	33.	2.	US Highway 6/50
11.2	11.3	0.1	.25 MI - 1 MILE	MOD / 1	3.	9.	2.	US Highway 6/50
11.3	11.4	0.0	.25 MI - 1 MILE	WEAK / 1	2.	0.	2.	US Highway 6/50
11.4	11.5	0.1	.25 MI - 1 MILE	MOD / 1	3.	9.	2.	US Highway 6/50
11.5	11.6	0.2	0 - .25 MI	MOD / 1	4.	9.	3.	Crossing US Highway 6/50
11.6	11.8	0.2	0 - .25 MI	MOD / 2	4.	31.	3.	Crossing US Highway 6/50
11.8	11.9	0.1	0 - .25 MI	MOD / 1	4.	9.	3.	Crossing US Highway 6/50
11.9	12.2	0.3	.25 MI - 1 MILE	MOD / 1	3.	9.	2.	US Highway 6/50
12.2	12.2	0.0	.25 MI - 1 MILE	WEAK / 1	2.	0.	2.	US Highway 6/50
12.2	12.7	0.4	.25 MI - 1 MILE	MOD / 1	3.	9.	2.	US Highway 6/50
12.7	13.0	0.3	1 - 3 MILES	MOD / 1	2.	0.	2.	US Highway 6/50
13.0	13.6	0.7	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
Link 468.								
0.0	0.1	0.1	0 - .25 MI	MOD / 2	4.	31.	3.	Crossing US Highway 6/50
0.1	0.7	0.6	0 - .25 MI	MOD / 3-5	4.	33.	3.	Crossing US Highway 6/50
0.7	1.1	0.4	.25 MI - 1 MILE	MOD / 3-5	3.	33.	2.	US Highway 6/50
1.1	1.2	0.2	.25 MI - 1 MILE	STRONG/ 3-5	3.	33.	2.	US Highway 6/50
1.2	1.3	0.0	.25 MI - 1 MILE	MOD / 3-5	3.	33.	2.	US Highway 6/50
1.3	1.5	0.2	.25 MI - 1 MILE	STRONG/ 3-5	3.	33.	2.	US Highway 6/50
1.5	1.5	0.0	.25 MI - 1 MILE	WEAK / 2	2.	0.	2.	US Highway 6/50
1.5	1.6	0.2	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
1.6	1.7	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
1.7	1.8	0.1	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
1.8	1.8	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
1.8	2.0	0.2	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
2.0	2.0	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50

TABLE 15 - Visual Impacts to Transportation Viewsheds (Moderate Sensitivity) (Continued)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT	COMMENTS
2.0	2.4	0.4	1 - 3 MILES	STRONG/ 3-5	2.	0.	2.	US Highway 6/50
2.4	2.9	0.5	BEYOND 3 MILES	STRONG/ 3-5	1.	0.	1.	US Highway 6/50
2.9	2.9	0.0	1 - 3 MILES	STRONG/ 3-5	2.	0.	2.	US Highway 6/50
Link 469.								
0.0	0.6	0.6	1 - 3 MILES	STRONG/ 3-5	2.	0.	2.	US Highway 6/50
0.6	1.5	0.9	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
1.5	2.5	0.9	SELDOM SEEN	MOD / 2	1.	0.	1.	
Link 471.								
0.0	0.9	0.9	1 - 3 MILES	STRONG/ 3-5	2.	0.	2.	US Highway 6/50
0.9	1.7	0.7	SELDOM SEEN	MOD / 2	1.	0.	1.	US Highway 6/50
1.7	2.4	0.7	BEYOND 3 MILES	MOD / 3-5	1.	0.	1.	US Highway 6/50
2.4	3.3	0.9	BEYOND 3 MILES	MOD / 2	1.	0.	1.	US Highway 6/50
3.3	4.9	1.6	BEYOND 3 MILES	STRONG/ 3-5	1.	0.	1.	Rural Road
4.9	6.6	1.7	BEYOND 3 MILES	MOD / 2	1.	0.	1.	Rural Road
6.6	9.4	2.8	1 - 3 MILES	MOD / 2	2.	0.	2.	Rural Road
9.4	9.5	0.1	0 - .25 MI	STRONG/ 3-5	4.	34.	3.	Crossing of Rural Road
9.5	9.9	0.3	0 - .25 MI	MOD / 3-5	4.	33.	3.	Crossing of Rural Road
9.9	10.8	1.0	.25 MI - 1 MILE	MOD / 3-5	3.	33.	2.	Rural Road
10.8	11.4	0.6	1 - 3 MILES	MOD / 3-5	2.	0.	2.	Rural Road
11.4	11.7	0.3	1 - 3 MILES	MOD / 2	2.	0.	2.	Rural Road
11.7	11.8	0.1	1 - 3 MILES	WEAK / 2	2.	0.	2.	Rural Road
Link 472.								
0.0	0.0	0.0	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
0.0	0.3	0.3	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
0.3	0.3	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
0.3	0.7	0.4	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
0.7	0.7	0.1	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
0.7	0.8	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
0.8	1.2	0.4	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
Link 473.								
0.0	0.0	0.0	1 - 3 MILES	STRONG/ 3-5	2.	0.	2.	US Highway 6/50
0.0	0.1	0.1	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
0.1	1.0	0.9	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50
1.0	1.1	0.1	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
1.1	1.1	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
1.1	1.2	0.1	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
1.2	1.3	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.	US Highway 6/50
1.3	1.3	0.1	1 - 3 MILES	MOD / 2	2.	0.	2.	US Highway 6/50
1.3	1.4	0.1	1 - 3 MILES	MOD / 3-5	2.	0.	2.	US Highway 6/50

TABLE 16
VISUAL RESOURCES

Visual Impacts to Scenic Quality

MILE POST FROM	TO	LENGTH	SCENIC QUALITY	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 460.							
0.0	0.2	0.2	CLASS C	MOD / 3-5	2.	0.	2.
0.2	0.3	0.1	CLASS B	WEAK / 2	2.	0.	2.
0.3	0.5	0.2	CLASS B	MOD / 2	3.	31.	2.
0.5	0.5	0.0	CLASS B	WEAK / 2	2.	0.	2.
0.5	0.8	0.3	CLASS B	MOD / 2	3.	31.	2.
0.8	0.9	0.1	CLASS B	WEAK / 2	2.	0.	2.
0.9	1.1	0.2	CLASS B	MOD / 2	3.	31.	2.
1.1	1.1	0.0	CLASS B	WEAK / 2	2.	0.	2.
1.1	1.4	0.3	CLASS B	MOD / 2	3.	31.	2.
1.4	1.4	0.0	CLASS B	WEAK / 2	2.	0.	2.
1.4	1.7	0.3	CLASS B	MOD / 2	3.	31.	2.
1.7	1.7	0.0	CLASS B	WEAK / 2	2.	0.	2.
1.7	2.0	0.3	CLASS B	MOD / 2	3.	31.	2.
2.0	2.0	0.0	CLASS B	WEAK / 2	2.	0.	2.
2.0	2.5	0.6	CLASS B	MOD / 2	3.	31.	2.
2.5	2.6	0.0	CLASS B	WEAK / 2	2.	0.	2.
2.6	3.0	0.4	CLASS B	MOD / 2	3.	31.	2.
3.0	3.0	0.0	CLASS B	WEAK / 2	2.	0.	2.
3.0	3.1	0.1	CLASS B	MOD / 2	3.	31.	2.
3.1	3.2	0.1	CLASS B	MOD / 3-5	3.	33.	2.
3.2	3.9	0.7	CLASS B	MOD / 2	3.	31.	2.
3.9	4.2	0.3	CLASS B	MOD / 3-5	3.	33.	2.
Link 461.							
0.0	0.0	0.0	CLASS C	MOD / 3-5	2.	0.	2.
0.0	0.5	0.4	CLASS C	MOD / 2	2.	0.	2.
0.5	1.5	1.0	CLASS C	MOD / 3-5	2.	0.	2.
1.5	1.7	0.2	CLASS C	MOD / 2	2.	0.	2.
1.7	1.7	0.0	CLASS C	WEAK / 2	2.	0.	2.
1.7	2.0	0.4	CLASS C	MOD / 2	2.	0.	2.
2.0	2.1	0.0	CLASS C	WEAK / 2	2.	0.	2.
2.1	2.4	0.4	CLASS C	MOD / 2	2.	0.	2.
2.4	4.0	1.5	CLASS C	MOD / 3-5	2.	0.	2.
4.0	4.2	0.3	CLASS C	MOD / 2	2.	0.	2.
4.2	4.5	0.3	CLASS C	WEAK / 2	2.	0.	2.
4.5	4.9	0.4	CLASS C	MOD / 3-5	2.	0.	2.
4.9	5.1	0.2	CLASS C	MOD / 2	2.	0.	2.
5.1	5.2	0.2	CLASS C	WEAK / 2	2.	0.	2.
5.2	5.6	0.3	CLASS C	MOD / 2	2.	0.	2.
5.6	5.8	0.2	CLASS C	WEAK / 2	2.	0.	2.
5.8	6.1	0.3	CLASS B	WEAK / 2	2.	0.	2.
6.1	6.3	0.2	CLASS C	WEAK / 2	2.	0.	2.
6.3	6.5	0.2	CLASS B	WEAK / 2	2.	0.	2.
6.5	6.6	0.2	CLASS B	MOD / 2	3.	31.	2.
6.6	7.0	0.3	CLASS B	WEAK / 2	2.	0.	2.
7.0	7.1	0.1	CLASS B	MOD / 3-5	3.	33.	2.
7.1	7.4	0.3	CLASS B	WEAK / 2	2.	0.	2.
7.4	7.7	0.3	CLASS B	MOD / 2	3.	31.	2.
7.7	9.8	2.1	CLASS B	MOD / 3-5	3.	33.	2.
9.8	10.1	0.3	CLASS B	MOD / 2	3.	31.	2.
10.1	10.3	0.2	CLASS B	WEAK / 2	2.	0.	2.
10.3	10.5	0.3	CLASS B	MOD / 2	3.	31.	2.
10.5	10.6	0.1	CLASS B	MOD / 3-5	3.	33.	2.
10.6	11.4	0.8	CLASS C	MOD / 3-5	2.	0.	2.
Link 463.							
0.0	0.3	0.3	CLASS B	MOD / 3-5	3.	33.	2.
0.3	0.7	0.4	CLASS B	WEAK / 3-5	2.	0.	2.
0.7	1.1	0.4	CLASS B	MOD / 2	3.	31.	2.
1.1	2.9	1.8	CLASS B	STRONG/ 3-5	3.	33.	2.
2.9	4.4	1.5	CLASS C	MOD / 3-5	2.	0.	2.
4.4	4.8	0.4	CLASS C	STRONG/ 3-5	2.	0.	2.

TABLE 16 - Visual Impacts to Scenic Quality (Continued)

FROM	TO	LENGTH	VISUAL CONTRAST WITH SCENIC	CONT/GR DIST	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 464.							
0.0	2.5	2.5	CLASS B	MOD / 3-5	3.	33.	2.
2.5	2.5	0.0	CLASS B	WEAK / 2	2.	0.	2.
2.5	2.8	0.2	CLASS B	MOD / 3-5	3.	33.	2.
2.8	2.8	0.1	CLASS C	MOD / 3-5	2.	0.	2.
2.8	4.0	1.1	CLASS C	MOD / 2	2.	0.	2.
Link 465.							
0.0	0.1	0.1	CLASS C	MOD / 2	2.	0.	2.
0.1	0.4	0.3	CLASS C	MOD / 3-5	2.	0.	2.
0.4	1.2	0.7	CLASS C	STRONG/ 3-5	2.	0.	2.
1.2	1.2	0.0	CLASS C	MOD / 3-5	2.	0.	2.
1.2	2.0	0.8	CLASS C	STRONG/ 3-5	2.	0.	2.
Link 466.							
0.0	0.6	0.6	CLASS C	MOD / 2	2.	0.	2.
Link 467.							
0.0	0.5	0.5	CLASS C	MOD / 2	2.	0.	2.
0.5	1.8	1.3	CLASS C	MOD / 3-5	2.	0.	2.
1.8	1.9	0.0	CLASS C	MOD / 2	2.	0.	2.
1.9	2.5	0.6	CLASS C	WEAK / 2	2.	0.	2.
2.5	4.7	2.2	CLASS C	MOD / 3-5	2.	0.	2.
4.7	4.8	0.0	CLASS C	WEAK / 2	2.	0.	2.
4.8	5.6	0.9	CLASS C	MOD / 2	2.	0.	2.
5.6	6.5	0.9	CLASS C	MOD / 3-5	2.	0.	2.
6.5	6.8	0.3	CLASS C	MOD / 2	2.	0.	2.
6.8	6.8	0.0	CLASS C	WEAK / 2	2.	0.	2.
6.8	9.7	2.9	CLASS C	MOD / 2	2.	0.	2.
9.7	9.7	0.0	CLASS C	WEAK / 2	2.	0.	2.
9.7	10.1	0.4	CLASS C	MOD / 2	2.	0.	2.
10.1	10.1	0.0	CLASS C	WEAK / 2	2.	0.	2.
10.1	10.5	0.4	CLASS C	MOD / 2	2.	0.	2.
10.5	10.5	0.0	CLASS C	WEAK / 2	2.	0.	2.
10.5	10.9	0.4	CLASS C	MOD / 2	2.	0.	2.
10.9	11.0	0.2	CLASS C	WEAK / 2	2.	0.	2.
11.0	11.2	0.1	CLASS C	MOD / 3-5	2.	0.	2.
11.2	11.3	0.1	AGRICULTURAL LANDS	MOD / 1	3.	9.	2.
11.3	11.4	0.0	AGRICULTURAL LANDS	WEAK / 1	2.	0.	2.
11.4	11.6	0.3	AGRICULTURAL LANDS	MOD / 1	3.	9.	2.
11.6	11.8	0.2	AGRICULTURAL LANDS	MOD / 2	3.	9.	2.
11.8	12.2	0.4	AGRICULTURAL LANDS	MOD / 1	3.	9.	2.
12.2	12.2	0.0	AGRICULTURAL LANDS	WEAK / 1	2.	0.	2.
12.2	13.0	0.7	AGRICULTURAL LANDS	MOD / 1	3.	9.	2.
13.0	13.6	0.7	CLASS C	MOD / 2	2.	0.	2.
Link 468.							
0.0	0.1	0.1	CLASS C	MOD / 2	2.	0.	2.
0.1	1.1	1.0	CLASS C	MOD / 3-5	2.	0.	2.
1.1	1.2	0.2	CLASS C	STRONG/ 3-5	2.	0.	2.
1.2	1.3	0.0	CLASS C	MOD / 3-5	2.	0.	2.
1.3	1.5	0.2	CLASS C	STRONG/ 3-5	2.	0.	2.
1.5	1.5	0.0	CLASS C	WEAK / 2	2.	0.	2.
1.5	1.6	0.2	CLASS C	MOD / 2	2.	0.	2.
1.6	1.7	0.0	CLASS C	WEAK / 2	2.	0.	2.
1.7	1.8	0.1	CLASS C	MOD / 2	2.	0.	2.
1.8	1.8	0.0	CLASS C	WEAK / 2	2.	0.	2.
1.8	2.0	0.2	CLASS C	MOD / 2	2.	0.	2.
2.0	2.0	0.0	CLASS C	WEAK / 2	2.	0.	2.
2.0	2.9	0.9	CLASS C	STRONG/ 3-5	2.	0.	2.
Link 469.							
0.0	0.6	0.6	CLASS C	STRONG/ 3-5	2.	0.	2.
0.6	1.5	0.9	CLASS C	MOD / 3-5	2.	0	2.
1.5	2.5	0.9	CLASS C	MOD / 2	2.	0.	2.

TABLE 16 - Visual Impacts to Scenic Quality (Continued)

FROM	TO	LENGTH	VISUAL CONTRAST WITH SCENIC	CONT/GR DIST	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 471.							
0.0	0.9	0.9	CLASS C	STRONG/ 3-5	2.	0.	2.
0.9	1.7	0.7	CLASS C	MOD / 2	2.	0.	2.
1.7	2.4	0.7	CLASS C	MOD / 3-5	2.	0.	2.
2.4	3.3	0.9	CLASS C	MOD / 2	2.	0.	2.
3.3	4.9	1.6	CLASS C	STRONG/ 3-5	2.	0.	2.
4.9	9.4	4.5	CLASS C	MOD / 2	2.	0.	2.
9.4	9.5	0.1	CLASS C	STRONG/ 3-5	2.	0.	2.
9.5	11.4	1.9	CLASS C	MOD / 3-5	2.	0.	2.
11.4	11.7	0.3	CLASS C	MOD / 2	2.	0.	2.
11.7	11.8	0.1	CLASS C	WEAK / 2	2.	0.	2.
Link 472.							
0.0	0.0	0.0	CLASS C	MOD / 2	2.	0.	2.
0.0	0.3	0.3	CLASS C	MOD / 3-5	2.	0.	2.
0.3	0.3	0.0	CLASS C	WEAK / 2	2.	0.	2.
0.3	0.7	0.4	CLASS C	MOD / 2	2.	0.	2.
0.7	0.7	0.1	CLASS C	MOD / 3-5	2.	0.	2.
0.7	0.8	0.0	CLASS C	WEAK / 2	2.	0.	2.
0.8	1.2	0.4	CLASS C	MOD / 2	2.	0.	2.
Link 473.							
0.0	0.0	0.0	CLASS C	STRONG/ 3-5	2.	0.	2.
0.0	0.1	0.1	CLASS C	MOD / 2	2.	0.	2.
0.1	1.0	0.9	CLASS C	MOD / 3-5	2.	0.	2.
1.0	1.1	0.1	CLASS C	MOD / 2	2.	0.	2.
1.1	1.1	0.0	CLASS C	WEAK / 2	2.	0.	2.
1.1	1.2	0.1	CLASS C	MOD / 2	2.	0.	2.
1.2	1.3	0.0	CLASS C	WEAK / 2	2.	0.	2.
1.3	1.3	0.1	CLASS C	MOD / 2	2.	0.	2.
1.3	1.4	0.1	CLASS C	MOD / 3-5	2.	0.	2.

TABLE 17
VISUAL RESOURCES

Compliance with Agency Visual Management

MILE POST FROM	TO	LENGTH	VISUAL MANAGEMENT	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 460.							
0.0	0.2	0.2	CLASS IV	MOD / 3-5	1.	0.	1.
0.2	0.3	0.1	CLASS IV	WEAK / 2	1.	0.	1.
0.3	0.5	0.2	CLASS IV	MOD / 2	1.	0.	1.
0.5	0.5	0.0	CLASS IV	WEAK / 2	1.	0.	1.
0.5	0.8	0.3	CLASS IV	MOD / 2	1.	0.	1.
0.8	0.9	0.1	CLASS IV	WEAK / 2	1.	0.	1.
0.9	1.1	0.2	CLASS IV	MOD / 2	1.	0.	1.
1.1	1.1	0.0	CLASS IV	WEAK / 2	1.	0.	1.
1.1	1.4	0.3	CLASS IV	MOD / 2	1.	0.	1.
1.4	1.4	0.0	CLASS IV	WEAK / 2	1.	0.	1.
1.4	1.7	0.3	CLASS IV	MOD / 2	1.	0.	1.
1.7	1.7	0.0	CLASS IV	WEAK / 2	1.	0.	1.
1.7	2.0	0.3	CLASS IV	MOD / 2	1.	0.	1.
2.0	2.0	0.0	CLASS IV	WEAK / 2	1.	0.	1.
2.0	2.5	0.6	CLASS IV	MOD / 2	1.	0.	1.
2.5	2.6	0.0	CLASS IV	WEAK / 2	1.	0.	1.
2.6	3.0	0.4	CLASS IV	MOD / 2	1.	0.	1.
3.0	3.0	0.0	CLASS IV	WEAK / 2	1.	0.	1.
3.0	3.1	0.1	CLASS IV	MOD / 2	1.	0.	1.
3.1	3.2	0.1	CLASS IV	MOD / 3-5	1.	0.	1.
3.2	3.9	0.7	CLASS IV	MOD / 2	1.	0.	1.
3.9	4.2	0.3	CLASS IV	MOD / 3-5	1.	0.	1.
Link 461.							
0.0	0.0	0.0	CLASS IV	MOD / 3-5	1.	0.	1.
0.0	0.5	0.4	CLASS IV	MOD / 2	1.	0.	1.
0.5	1.5	1.0	CLASS IV	MOD / 3-5	1.	0.	1.
1.5	1.7	0.2	CLASS IV	MOD / 2	1.	0.	1.
1.7	1.7	0.0	CLASS IV	WEAK / 2	1.	0.	1.
1.7	2.0	0.4	CLASS IV	MOD / 2	1.	0.	1.
2.0	2.1	0.0	CLASS IV	WEAK / 2	1.	0.	1.
2.1	2.4	0.4	CLASS IV	MOD / 2	1.	0.	1.
2.4	4.0	1.5	CLASS IV	MOD / 3-5	1.	0.	1.
4.0	4.2	0.3	CLASS IV	MOD / 2	1.	0.	1.
4.2	4.5	0.3	CLASS IV	WEAK / 2	1.	0.	1.
4.5	4.9	0.4	CLASS IV	MOD / 3-5	1.	0.	1.
4.9	5.1	0.2	CLASS IV	MOD / 2	1.	0.	1.
5.1	5.2	0.2	CLASS IV	WEAK / 2	1.	0.	1.
5.2	5.6	0.3	CLASS IV	MOD / 2	1.	0.	1.
5.6	6.5	0.9	CLASS IV	WEAK / 2	1.	0.	1.
6.5	6.6	0.2	CLASS IV	MOD / 2	1.	0.	1.
6.6	7.0	0.3	CLASS IV	WEAK / 2	1.	0.	1.
7.0	7.1	0.1	CLASS IV	MOD / 3-5	1.	0.	1.
7.1	7.4	0.3	CLASS IV	WEAK / 2	1.	0.	1.
7.4	7.7	0.3	CLASS IV	MOD / 2	1.	0.	1.
7.7	9.8	2.1	CLASS IV	MOD / 3-5	1.	0.	1.
9.8	10.1	0.3	CLASS IV	MOD / 2	1.	0.	1.
10.1	10.3	0.2	CLASS IV	WEAK / 2	1.	0.	1.
10.3	10.5	0.3	CLASS IV	MOD / 2	1.	0.	1.
10.5	11.4	0.9	CLASS IV	MOD / 3-5	1.	0.	1.
Link 463.							
0.0	0.3	0.3	CLASS IV	MOD / 3-5	1.	0.	1.
0.3	0.7	0.4	CLASS IV	WEAK / 3-5	1.	0.	1.
0.7	1.1	0.4	CLASS IV	MOD / 2	1.	0.	1.
1.1	2.0	0.9	CLASS IV	STRONG/ 3-5	1.	0.	1.
2.0	2.9	0.9	CLASS III	STRONG/ 3-5	2.	33.	1.
2.9	4.4	1.5	CLASS III	MOD / 3-5	1.	0.	1.
4.4	4.8	0.4	CLASS IV	STRONG/ 3-5	1.	0.	1.

TABLE 17 - Compliance with Agency Visual Management (Continued)

MILE POST FROM	TO	LENGTH	VISUAL MANAGEMENT	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 464.							
0.0	2.5	2.5	CLASS IV	MOD / 3-5	1.	0.	1.
2.5	2.5	0.0	CLASS IV	WEAK / 2	1.	0.	1.
2.5	2.8	0.3	CLASS IV	MOD / 3-5	1.	0.	1.
2.8	3.2	0.4	CLASS IV	MOD / 2	1.	0.	1.
3.2	4.0	0.8	CLASS III	MOD / 2	1.	0.	1.
Link 465.							
0.0	0.1	0.1	CLASS III	MOD / 2	1.	0.	1.
0.1	0.4	0.3	CLASS III	MOD / 3-5	1.	0.	1.
0.4	1.2	0.7	CLASS III	STRONG/ 3-5	2.	33.	1.
1.2	1.2	0.0	CLASS III	MOD / 3-5	1.	0.	1.
1.2	2.0	0.8	CLASS III	STRONG/ 3-5	2.	33.	1.
Link 466.							
0.0	0.6	0.6	CLASS III	MOD / 2	1.	0.	1.
Link 467.							
0.0	0.5	0.5	CLASS III	MOD / 2	1.	0.	1.
0.5	1.8	1.3	CLASS III	MOD / 3-5	1.	0.	1.
1.8	1.9	0.0	CLASS III	MOD / 2	1.	0.	1.
1.9	2.5	0.6	CLASS III	WEAK / 2	1.	0.	1.
2.5	4.7	2.2	CLASS III	MOD / 3-5	1.	0.	1.
4.7	4.8	0.0	CLASS III	WEAK / 2	1.	0.	1.
4.8	5.6	0.9	CLASS III	MOD / 2	1.	0.	1.
5.6	6.5	0.9	CLASS III	MOD / 3-5	1.	0.	1.
6.5	6.8	0.3	CLASS IV	MOD / 2	1.	0.	1.
6.8	6.8	0.0	CLASS IV	WEAK / 2	1.	0.	1.
6.8	9.7	2.9	CLASS IV	MOD / 2	1.	0.	1.
9.7	9.7	0.0	CLASS IV	WEAK / 2	1.	0.	1.
9.7	10.1	0.4	CLASS IV	MOD / 2	1.	0.	1.
10.1	10.1	0.0	CLASS IV	WEAK / 2	1.	0.	1.
10.1	10.5	0.4	CLASS IV	MOD / 2	1.	0.	1.
10.5	10.5	0.0	CLASS IV	WEAK / 2	1.	0.	1.
10.5	10.9	0.4	CLASS IV	MOD / 2	1.	0.	1.
10.9	11.0	0.2	CLASS IV	WEAK / 2	1.	0.	1.
11.0	11.2	0.1	CLASS IV	MOD / 3-5	1.	0.	1.
11.2	11.3	0.1	CLASS IV	MOD / 1	1.	0.	1.
11.3	11.4	0.0	CLASS IV	WEAK / 1	1.	0.	1.
11.4	11.6	0.3	CLASS IV	MOD / 1	1.	0.	1.
11.6	11.8	0.2	CLASS IV	MOD / 2	1.	0.	1.
11.8	12.2	0.4	CLASS IV	MOD / 1	1.	0.	1.
12.2	12.2	0.0	CLASS IV	WEAK / 1	1.	0.	1.
12.2	13.0	0.7	CLASS IV	MOD / 1	1.	0.	1.
13.0	13.6	0.7	CLASS IV	MOD / 2	1.	0.	1.
Link 468.							
0.0	0.1	0.1	CLASS III	MOD / 2	1.	0.	1.
0.1	1.1	1.0	CLASS III	MOD / 3-5	1.	0.	1.
1.1	1.2	0.2	CLASS III	STRONG/ 3-5	2.	33.	1.
1.2	1.3	0.0	CLASS III	MOD / 3-5	1.	0.	1.
1.3	1.5	0.2	CLASS III	STRONG/ 3-5	2.	33.	1.
1.5	1.5	0.0	CLASS III	WEAK / 2	1.	0.	1.
1.5	1.6	0.2	CLASS III	MOD / 2	1.	0.	1.
1.6	1.7	0.0	CLASS III	WEAK / 2	1.	0.	1.
1.7	1.8	0.1	CLASS III	MOD / 2	1.	0.	1.
1.8	1.8	0.0	CLASS III	WEAK / 2	1.	0.	1.
1.8	2.0	0.2	CLASS III	MOD / 2	1.	0.	1.
2.0	2.0	0.0	CLASS III	WEAK / 2	1.	0.	1.
2.0	2.9	0.9	CLASS III	STRONG/ 3-5	2.	33.	1.
Link 469.							
0.0	0.6	0.6	CLASS III	STRONG/ 3-5	2.	33.	1.
0.6	1.5	0.9	CLASS III	MOD / 3-5	1.	0.	1.
1.5	2.5	0.9	CLASS III	MOD / 2	1.	0.	1.

TABLE 17 - Compliance with Agency Visual Management (Continued)

MILE POST FROM	TO	LENGTH	VISUAL MANAGEMENT	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 471.							
0.0	0.9	0.9	CLASS III	STRONG/ 3-5	2.	33.	1.
0.9	1.7	0.7	CLASS III	MOD / 2	1.	0.	1.
1.7	2.4	0.7	CLASS III	MOD / 3-5	1.	0.	1.
2.4	3.3	0.9	CLASS III	MOD / 2	1.	0.	1.
3.3	4.9	1.6	CLASS IV	STRONG/ 3-5	1.	0.	1.
4.9	9.4	4.5	CLASS IV	MOD / 2	1.	0.	1.
9.4	9.5	0.1	CLASS IV	STRONG/ 3-5	1.	0.	1.
9.5	11.4	1.9	CLASS IV	MOD / 3-5	1.	0.	1.
11.4	11.7	0.3	CLASS IV	MOD / 2	1.	0.	1.
11.7	11.8	0.1	CLASS IV	WEAK / 2	1.	0.	1.
Link 472.							
0.0	0.0	0.0	CLASS IV	MOD / 2	1.	0.	1.
0.0	0.3	0.3	CLASS IV	MOD / 3-5	1.	0.	1.
0.3	0.3	0.0	CLASS IV	WEAK / 2	1.	0.	1.
0.3	0.7	0.4	CLASS IV	MOD / 2	1.	0.	1.
0.7	0.7	0.1	CLASS IV	MOD / 3-5	1.	0.	1.
0.7	0.8	0.0	CLASS IV	WEAK / 2	1.	0.	1.
0.8	1.2	0.4	CLASS IV	MOD / 2	1.	0.	1.
Link 473.							
0.0	0.0	0.0	CLASS IV	STRONG/ 3-5	1.	0.	1.
0.0	0.1	0.1	CLASS IV	MOD / 2	1.	0.	1.
0.1	1.0	0.9	CLASS IV	MOD / 3-5	1.	0.	1.
1.0	1.1	0.1	CLASS IV	MOD / 2	1.	0.	1.
1.1	1.1	0.0	CLASS IV	WEAK / 2	1.	0.	1.
1.1	1.2	0.1	CLASS IV	MOD / 2	1.	0.	1.
1.2	1.3	0.0	CLASS IV	WEAK / 2	1.	0.	1.
1.3	1.3	0.1	CLASS IV	MOD / 2	1.	0.	1.
1.3	1.4	0.1	CLASS IV	MOD / 3-5	1.	0.	1.

TABLE 18
CULTURAL RESOURCES

Ground Disturbance Impacts to Cultural Resources

MILE POST FROM	TO	LENGTH	SENSITIVITY LEVEL	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 460.							
0.0	0.2	0.2	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
0.2	0.8	0.6	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
0.8	0.9	0.1	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.9	1.1	0.2	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
1.1	1.5	0.4	SENSITIVITY LEVEL 1	LEVEL 2	2.	0.	2.
1.5	3.1	1.6	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
3.1	4.0	0.9	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
4.0	4.2	0.1	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
Link 461.							
0.0	0.0	0.0	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.0	0.5	0.4	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
0.5	1.5	1.0	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
1.5	2.4	1.0	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
2.4	4.0	1.5	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
4.0	4.5	0.5	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
4.5	4.8	0.3	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
4.8	4.9	0.2	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
4.9	7.0	2.0	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
7.0	7.4	0.4	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
7.4	7.7	0.3	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
7.7	8.2	0.5	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
8.2	8.5	0.3	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
8.5	8.8	0.4	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
8.8	9.4	0.6	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
9.4	9.8	0.4	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
9.8	10.5	0.8	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
10.5	11.4	0.9	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
Link 463.							
0.0	0.2	0.2	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.2	0.7	0.6	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
0.7	1.0	0.3	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
1.0	1.0	0.0	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
1.0	1.1	0.1	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
1.1	2.8	1.7	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
2.8	4.5	1.7	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
4.5	4.8	0.3	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
Link 464.							
0.0	0.1	0.1	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.1	2.0	1.9	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
2.0	2.5	0.5	SENSITIVITY LEVEL 5	LEVEL 4	3.	0.	3.
2.5	2.5	0.0	SENSITIVITY LEVEL 5	LEVEL 2	2.	0.	2.
2.5	2.8	0.2	SENSITIVITY LEVEL 5	LEVEL 3	2.	0.	2.
2.8	4.0	1.2	SENSITIVITY LEVEL 5	LEVEL 4	3.	0.	3.
Link 465.							
0.0	0.1	0.1	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
0.1	0.4	0.3	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.4	0.6	0.2	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
0.6	1.3	0.7	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
1.3	1.6	0.4	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
1.6	1.8	0.2	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
1.8	2.0	0.2	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
Link 466.							
0.0	0.6	0.6	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.

TABLE 18 - Ground Disturbance Impacts to Cultural Resources (Continued)

MILE POST FROM	TO	LENGTH	SENSITIVITY LEVEL	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 467.							
0.0	0.5	0.5	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
0.5	1.8	1.3	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
1.8	2.5	0.7	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
2.5	4.2	1.7	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
4.2	4.7	0.5	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
4.7	5.6	0.9	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
5.6	6.5	0.9	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
6.5	11.0	4.5	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
11.0	11.2	0.1	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
11.2	11.6	0.5	BACKGROUND (NO SITE)	LEVEL 1	1.	0.	1.
11.6	11.8	0.2	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
11.8	13.0	1.1	BACKGROUND (NO SITE)	LEVEL 1	1.	0.	1.
13.0	13.6	0.7	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
Link 468.							
0.0	0.1	0.1	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
0.1	1.5	1.4	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
1.5	2.3	0.9	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
2.3	2.9	0.6	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
Link 469.							
0.0	0.0	0.0	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
0.0	1.5	1.5	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
1.5	2.1	0.6	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
2.1	2.5	0.4	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
Link 471.							
0.0	0.1	0.1	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
0.1	0.9	0.8	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.9	1.4	0.5	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
1.4	2.4	1.0	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
2.4	2.7	0.3	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
2.7	3.7	1.0	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
3.7	4.9	1.2	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
4.9	9.4	4.5	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
9.4	11.4	2.0	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
11.4	11.8	0.4	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
Link 472.							
0.0	0.0	0.0	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
0.0	0.3	0.3	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.3	0.7	0.4	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
0.7	0.7	0.1	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.7	1.2	0.5	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
Link 473.							
0.0	0.0	0.0	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.0	1.4	1.4	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.

TABLE 19
CULTURAL RESOURCES

Public Access Impacts to Cultural Resources

MILE POST FROM	TO	LENGTH	SENSITIVITY LEVEL	CHANGE IN ACCESS	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 460.							
0.0	1.1	1.1	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
1.1	1.5	0.4	SENSITIVITY LEVEL 1	0 - 20 %	2.	0.	2.
1.5	4.2	2.7	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
Link 461.							
0.0	2.9	2.9	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
2.9	3.6	0.7	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
3.6	3.7	0.1	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
3.7	8.6	4.9	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
8.6	8.7	0.1	BACKGROUND (NO SITE)	40 - 50 %	1.	0.	1.
8.7	9.4	0.8	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
9.4	9.5	0.1	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
9.5	10.8	1.3	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
10.8	10.9	0.1	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
10.9	11.4	0.5	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
Link 463.							
0.0	0.5	0.5	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
0.5	0.6	0.1	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
0.6	2.3	1.6	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
2.3	2.4	0.1	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
2.4	2.4	0.1	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
2.4	2.5	0.0	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
2.5	2.6	0.1	BACKGROUND (NO SITE)	40 - 50 %	1.	0.	1.
2.6	2.9	0.3	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
2.9	2.9	0.1	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
2.9	3.8	0.9	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
3.8	4.4	0.6	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
4.4	4.8	0.4	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
Link 464.							
0.0	2.0	2.0	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
2.0	4.0	2.0	SENSITIVITY LEVEL 5	0 - 20 %	2.	0.	2.
Link 465.							
0.0	1.2	1.2	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
1.2	1.3	0.1	BACKGROUND (NO SITE)	40 - 50 %	1.	0.	1.
1.3	2.0	0.7	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
Link 466.							
0.0	0.6	0.6	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
Link 467.							
0.0	3.0	3.0	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
3.0	3.1	0.1	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
3.1	4.1	1.0	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
4.1	4.2	0.1	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
4.2	5.6	1.4	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
5.6	5.7	0.1	BACKGROUND (NO SITE)	40 - 50 %	1.	0.	1.
5.7	6.0	0.3	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
6.0	7.5	1.4	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
7.5	8.3	0.9	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
8.3	8.4	0.1	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
8.4	13.6	5.2	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.

TABLE 19 - Public Access Impacts to Cultural Resources (Continued)

MILE POST FROM	TO	LENGTH	SENSITIVITY LEVEL	CHANGE IN ACCESS	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 468.							
0.0	2.5	2.5	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
2.5	2.6	0.0	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
2.6	2.9	0.4	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
Link 469.							
0.0	0.8	0.8	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
0.8	0.9	0.1	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
0.9	2.3	1.4	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
2.3	2.5	0.2	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
Link 471.							
0.0	0.3	0.3	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
0.3	0.4	0.1	BACKGROUND (NO SITE)	40 - 50 %	1.	0.	1.
0.4	1.8	1.4	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
1.8	2.0	0.3	BACKGROUND (NO SITE)	40 - 50 %	1.	0.	1.
2.0	2.1	0.1	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
2.1	3.3	1.2	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
3.3	4.3	1.0	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
4.3	4.4	0.1	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
4.4	9.0	4.7	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
9.0	9.1	0.1	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
9.1	10.1	0.9	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
10.1	10.2	0.1	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
10.2	10.7	0.5	BACKGROUND (NO SITE)	50 -100 %	1.	0.	1.
10.7	10.9	0.2	BACKGROUND (NO SITE)	20 - 40 %	1.	0.	1.
10.9	11.8	0.9	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
Link 472.							
0.0	1.2	1.2	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.
Link 473.							
0.0	1.4	1.4	BACKGROUND (NO SITE)	0 - 20 %	1.	0.	1.

TABLE 20
CULTURAL RESOURCES

Ground Disturbance Impacts to Predicted Cultural Resources Sensitivity Zones

MILE POST FROM	TO	LENGTH	SENSITIVITY LEVEL	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 460.							
0.0	0.2	0.2	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
0.2	0.8	0.6	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
0.8	0.9	0.1	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.9	1.9	1.0	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
1.9	2.3	0.4	SENSITIVITY LEVEL 1	LEVEL 2	2.	0.	2.
2.3	3.0	0.7	SENSITIVITY LEVEL 5	LEVEL 2	2.	0.	2.
3.0	3.1	0.1	SENSITIVITY LEVEL 10	LEVEL 2	3.	0.	3.
3.1	3.9	0.7	SENSITIVITY LEVEL 5	LEVEL 4	3.	0.	3.
3.9	4.0	0.1	SENSITIVITY LEVEL 10	LEVEL 4	3.	0.	3.
4.0	4.0	0.1	SENSITIVITY LEVEL 5	LEVEL 4	3.	0.	3.
4.0	4.2	0.1	SENSITIVITY LEVEL 5	LEVEL 3	2.	0.	2.
Link 461.							
0.0	0.0	0.0	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.0	0.5	0.4	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
0.5	1.5	1.0	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
1.5	2.4	1.0	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
2.4	4.0	1.5	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
4.0	4.5	0.5	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
4.5	4.8	0.3	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
4.8	4.9	0.2	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
4.9	7.0	2.0	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
7.0	7.4	0.4	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
7.4	7.7	0.3	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
7.7	8.2	0.5	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
8.2	8.5	0.3	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
8.5	8.8	0.4	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
8.8	9.4	0.6	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
9.4	9.8	0.4	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
9.8	10.5	0.8	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
10.5	11.4	0.9	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
Link 463.							
0.0	0.2	0.2	SENSITIVITY LEVEL 5	LEVEL 3	2.	0.	2.
0.2	0.7	0.6	SENSITIVITY LEVEL 5	LEVEL 4	3.	0.	3.
0.7	1.0	0.3	SENSITIVITY LEVEL 5	LEVEL 2	2.	0.	2.
1.0	1.0	0.0	SENSITIVITY LEVEL 5	LEVEL 4	3.	0.	3.
1.0	1.1	0.1	SENSITIVITY LEVEL 5	LEVEL 2	2.	0.	2.
1.1	2.5	1.4	SENSITIVITY LEVEL 5	LEVEL 4	3.	0.	3.
2.5	2.7	0.2	SENSITIVITY LEVEL 1	LEVEL 4	2.	0.	2.
2.7	2.8	0.1	SENSITIVITY LEVEL 5	LEVEL 4	3.	0.	3.
2.8	3.5	0.7	SENSITIVITY LEVEL 1	LEVEL 3	2.	0.	2.
3.5	4.5	1.0	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
4.5	4.8	0.3	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
Link 464.							
0.0	0.1	0.1	SENSITIVITY LEVEL 5	LEVEL 3	2.	0.	2.
0.1	1.1	0.9	SENSITIVITY LEVEL 5	LEVEL 4	3.	0.	3.
1.1	2.5	1.5	SENSITIVITY LEVEL 10	LEVEL 4	3.	0.	3.
2.5	2.5	0.0	SENSITIVITY LEVEL 10	LEVEL 2	3.	0.	3.
2.5	2.8	0.2	SENSITIVITY LEVEL 10	LEVEL 3	3.	0.	3.
2.8	4.0	1.2	SENSITIVITY LEVEL 10	LEVEL 4	3.	0.	3.

TABLE 20 - Ground Disturbance Impacts to Predicted Cultural Resources Sensitivity Zones (Continued)

MILE POST FROM	TO	LENGTH	SENSITIVITY LEVEL	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 465.							
0.0	0.1	0.1	SENSITIVITY LEVEL 5	LEVEL 2	2.	0.	2.
0.1	0.4	0.3	SENSITIVITY LEVEL 10	LEVEL 3	3.	0.	3.
0.4	0.6	0.2	SENSITIVITY LEVEL 10	LEVEL 4	3.	0.	3.
0.6	0.7	0.1	SENSITIVITY LEVEL 10	LEVEL 3	3.	0.	3.
0.7	1.0	0.3	SENSITIVITY LEVEL 5	LEVEL 3	2.	0.	2.
1.0	1.3	0.3	SENSITIVITY LEVEL 1	LEVEL 3	2.	0.	2.
1.3	1.3	0.1	SENSITIVITY LEVEL 1	LEVEL 4	2.	0.	2.
1.3	1.6	0.3	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
1.6	1.8	0.2	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
1.8	2.0	0.2	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
Link 466.							
0.0	0.6	0.6	SENSITIVITY LEVEL 5	LEVEL 2	2.	0.	2.
Link 467.							
0.0	0.5	0.5	SENSITIVITY LEVEL 10	LEVEL 2	3.	0.	3.
0.5	1.8	1.3	SENSITIVITY LEVEL 10	LEVEL 3	3.	0.	3.
1.8	2.5	0.7	SENSITIVITY LEVEL 5	LEVEL 2	2.	0.	2.
2.5	2.6	0.1	SENSITIVITY LEVEL 1	LEVEL 3	2.	0.	2.
2.6	3.2	0.6	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
3.2	4.2	1.0	SENSITIVITY LEVEL 1	LEVEL 3	2.	0.	2.
4.2	4.7	0.5	SENSITIVITY LEVEL 5	LEVEL 4	3.	0.	3.
4.7	5.6	0.9	SENSITIVITY LEVEL 10	LEVEL 2	3.	0.	3.
5.6	6.5	0.9	SENSITIVITY LEVEL 5	LEVEL 3	2.	0.	2.
6.5	11.0	4.5	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
11.0	11.2	0.1	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
11.2	11.6	0.5	BACKGROUND (NO SITE)	LEVEL 1	1.	0.	1.
11.6	11.8	0.2	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
11.8	13.0	1.1	BACKGROUND (NO SITE)	LEVEL 1	1.	0.	1.
13.0	13.6	0.7	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
Link 468.							
0.0	0.1	0.1	SENSITIVITY LEVEL 10	LEVEL 2	3.	0.	3.
0.1	0.7	0.7	SENSITIVITY LEVEL 10	LEVEL 3	3.	0.	3.
0.7	1.1	0.3	SENSITIVITY LEVEL 5	LEVEL 3	2.	0.	2.
1.1	1.5	0.4	SENSITIVITY LEVEL 1	LEVEL 3	2.	0.	2.
1.5	2.3	0.9	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
2.3	2.8	0.4	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
2.8	2.9	0.2	SENSITIVITY LEVEL 1	LEVEL 4	2.	0.	2.
Link 469.							
0.0	0.0	0.0	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
0.0	0.4	0.4	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.4	0.8	0.4	SENSITIVITY LEVEL 1	LEVEL 3	2.	0.	2.
0.8	1.3	0.5	SENSITIVITY LEVEL 5	LEVEL 3	2.	0.	2.
1.3	1.4	0.2	SENSITIVITY LEVEL 10	LEVEL 3	3.	0.	3.
1.4	1.5	0.1	SENSITIVITY LEVEL 5	LEVEL 3	2.	0.	2.
1.5	1.8	0.3	SENSITIVITY LEVEL 5	LEVEL 2	2.	0.	2.
1.8	2.1	0.3	SENSITIVITY LEVEL 1	LEVEL 2	2.	0.	2.
2.1	2.5	0.4	SENSITIVITY LEVEL 1	LEVEL 3	2.	0.	2.
Link 471.							
0.0	0.1	0.1	SENSITIVITY LEVEL 1	LEVEL 4	2.	0.	2.
0.1	0.5	0.4	SENSITIVITY LEVEL 1	LEVEL 3	2.	0.	2.
0.5	0.9	0.5	SENSITIVITY LEVEL 5	LEVEL 3	2.	0.	2.
0.9	1.4	0.5	SENSITIVITY LEVEL 10	LEVEL 2	3.	0.	3.
1.4	2.2	0.8	SENSITIVITY LEVEL 10	LEVEL 3	3.	0.	3.
2.2	2.4	0.2	SENSITIVITY LEVEL 1	LEVEL 3	2.	0.	2.
2.4	2.7	0.3	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
2.7	3.7	1.0	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
3.7	4.9	1.2	BACKGROUND (NO SITE)	LEVEL 4	1.	0.	1.
4.9	8.3	3.4	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
8.3	9.4	1.1	SENSITIVITY LEVEL 1	LEVEL 2	2.	0.	2.
9.4	11.4	2.0	SENSITIVITY LEVEL 5	LEVEL 3	2.	0.	2.
11.4	11.8	0.4	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.

TABLE 20 - Ground Disturbance Impacts to Predicted Cultural Resources Sensitivity Zones (Continued)

MILE POST FROM	TO	LENGTH	SENSITIVITY LEVEL	ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 472.							
0.0	0.0	0.0	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
0.0	0.3	0.3	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.3	0.7	0.4	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
0.7	0.7	0.1	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.7	1.2	0.5	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.
Link 473.							
0.0	0.0	0.0	BACKGROUND (NO SITE)	LEVEL 3	1.	0.	1.
0.0	1.4	1.4	BACKGROUND (NO SITE)	LEVEL 2	1.	0.	1.

TABLE 21
CULTURAL RESOURCES

Visual Impacts to Sensitive Cultural Resources

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 460.							
0.0	0.2	0.2	.25 MI - 1 MILE	MOD / 3-5	4	33.	3.
0.2	0.3	0.1	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.
0.3	0.5	0.2	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
0.5	0.5	0.0	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.
0.5	0.7	0.2	0 - .25 MI	MOD / 2	4.	32.	4.
0.7	0.8	0.1	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
0.8	0.9	0.1	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.
0.9	1.0	0.1	0 - .25 MI	MOD / 2	4.	32.	4.
1.0	1.1	0.1	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
1.1	1.1	0.0	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.
1.1	1.4	0.3	0 - .25 MI	MOD / 2	4.	32.	4.
1.4	1.4	0.0	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.
1.4	1.7	0.3	0 - .25 MI	MOD / 2	4.	32.	4.
1.7	1.7	0.0	0 - .25 MI	WEAK / 2	4.	32.	4.
1.7	2.0	0.3	0 - .25 MI	MOD / 2	4.	32.	4.
2.0	2.0	0.0	0 - .25 MI	WEAK / 2	4.	32.	4.
2.0	2.5	0.6	0 - .25 MI	MOD / 2	4.	32.	4.
2.5	2.6	0.0	0 - .25 MI	WEAK / 2	4.	32.	4.
2.6	3.0	0.4	0 - .25 MI	MOD / 2	4.	32.	4.
3.0	3.0	0.0	.25 MI - 1 MILE	WEAK / 2	3.	31.	2.
3.0	3.1	0.1	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
3.1	3.2	0.1	0 - .25 MI	MOD / 3-5	4.	34.	4.
3.2	3.7	0.5	0 - .25 MI	MOD / 2	4.	32.	4.
3.7	3.9	0.2	.25 MI - 1 MILE	MOD / 2	4.	31.	3.
3.9	4.2	0.3	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.
Link 461.							
0.0	0.0	0.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.
0.0	0.5	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.
0.5	1.5	1.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.
1.5	1.7	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.
1.7	1.7	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
1.7	2.0	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.
2.0	2.1	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
2.1	2.4	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.
2.4	4.0	1.5	SELDOM SEEN	MOD / 3-5	1.	0.	1.
4.0	4.2	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.
4.2	4.5	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.
4.5	4.9	0.4	SELDOM SEEN	MOD / 3-5	1.	0.	1.
4.9	5.1	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.
5.1	5.2	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.
5.2	5.6	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.
5.6	6.5	0.9	SELDOM SEEN	WEAK / 2	1.	0.	1.
6.5	6.6	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.
6.6	7.0	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.
7.0	7.1	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.
7.1	7.4	0.3	SELDOM SEEN	WEAK / 2	1.	0.	1.
7.4	7.7	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.
7.7	9.8	2.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.
9.8	10.1	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.
10.1	10.3	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.
10.3	10.5	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.
10.5	11.4	0.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.
Link 463.							
0.0	0.3	0.3	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.
0.3	0.7	0.4	.25 MI - 1 MILE	WEAK / 3-5	3.	33.	2.
0.7	1.1	0.4	1 - 3 MILES	MOD / 2	3.	31.	2.
1.1	2.5	1.4	1 - 3 MILES	STRONG/ 3-5	3.	33.	2.
2.5	2.9	0.5	BEYOND 3 MILES	STRONG/ 3-5	2.	0.	2.
2.9	4.4	1.5	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.
4.4	4.8	0.4	BEYOND 3 MILES	STRONG/ 3-5	2.	0.	2.

TABLE 21 - Visual Impacts to Sensitive Cultural Resources (Continued)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 464.							
0.0	2.5	2.5	.25 MI - 1 MILE	MOD / 3-5	4.	33.	3.
2.5	2.5	0.0	1 - 3 MILES	WEAK / 2	2.	0.	2.
2.5	2.7	0.1	1 - 3 MILES	MOD / 3-5	3.	33.	2.
2.7	2.8	0.2	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.
2.8	4.0	1.1	BEYOND 3 MILES	MOD / 2	2.	0.	2.
Link 465.							
0.0	0.1	0.1	BEYOND 3 MILES	MOD / 2	2.	0.	2.
0.1	0.4	0.3	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.
0.4	1.2	0.7	BEYOND 3 MILES	STRONG/ 3-5	2.	0.	2.
1.2	1.2	0.0	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.
1.2	1.6	0.5	BEYOND 3 MILES	STRONG/ 3-5	2.	0.	2.
1.6	2.0	0.4	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.
Link 466.							
0.0	0.6	0.6	BEYOND 3 MILES	MOD / 2	2.	0.	2.
Link 467.							
0.0	0.5	0.5	BEYOND 3 MILES	MOD / 2	2.	0.	2.
0.5	1.8	1.3	SELDOM SEEN	MOD / 3-5	1.	0.	1.
1.8	1.9	0.0	SELDOM SEEN	MOD / 2	1.	0.	1.
1.9	2.5	0.6	SELDOM SEEN	WEAK / 2	1.	0.	1.
2.5	4.7	2.2	SELDOM SEEN	MOD / 3-5	1.	0.	1.
4.7	4.8	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
4.8	5.6	0.9	SELDOM SEEN	MOD / 2	1.	0.	1.
5.6	6.5	0.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.
6.5	6.8	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.
6.8	6.8	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
6.8	9.7	2.9	SELDOM SEEN	MOD / 2	1.	0.	1.
9.7	9.7	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
9.7	10.1	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.
10.1	10.1	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
10.1	10.5	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.
10.5	10.5	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
10.5	10.9	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.
10.9	11.0	0.2	SELDOM SEEN	WEAK / 2	1.	0.	1.
11.0	11.2	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.
11.2	11.3	0.1	SELDOM SEEN	MOD / 1	1.	0.	1.
11.3	11.4	0.0	SELDOM SEEN	WEAK / 1	1.	0.	1.
11.4	11.6	0.3	SELDOM SEEN	MOD / 1	1.	0.	1.
11.6	11.8	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.
11.8	12.2	0.4	SELDOM SEEN	MOD / 1	1.	0.	1.
12.2	12.2	0.0	SELDOM SEEN	WEAK / 1	1.	0.	1.
12.2	13.0	0.7	SELDOM SEEN	MOD / 1	1.	0.	1.
13.0	13.6	0.7	SELDOM SEEN	MOD / 2	1.	0.	1.
Link 468.							
0.0	0.1	0.1	BEYOND 3 MILES	MOD / 2	2.	0.	2.
0.1	0.1	0.0	BEYOND 3 MILES	MOD / 3-5	2.	0.	2.
0.1	1.1	1.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.
1.1	1.2	0.2	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.
1.2	1.3	0.0	SELDOM SEEN	MOD / 3-5	1.	0.	1.
1.3	1.5	0.2	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.
1.5	1.5	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
1.5	1.6	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.
1.6	1.7	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
1.7	1.8	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.
1.8	1.8	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
1.8	2.0	0.2	SELDOM SEEN	MOD / 2	1.	0.	1.
2.0	2.0	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
2.0	2.9	0.9	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.
Link 469.							
0.0	0.6	0.6	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.
0.6	1.5	0.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.
1.5	2.5	0.9	SELDOM SEEN	MOD / 2	1.	0.	1.

TABLE 21 - Visual Impacts to Sensitive Cultural Resources (Continued)

MILE POST FROM	TO	LENGTH	VISIBILITY DISTANCE ZONE	CONTRAST/ ACCESS LEVEL	INITIAL IMPACT	MITIGATION MEASURES	RESIDUAL IMPACT
Link 471.							
0.0	0.9	0.9	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.
0.9	1.7	0.7	SELDOM SEEN	MOD / 2	1.	0.	1.
1.7	2.4	0.7	SELDOM SEEN	MOD / 3-5	1.	0.	1.
2.4	3.3	0.9	SELDOM SEEN	MOD / 2	1.	0.	1.
3.3	4.9	1.6	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.
4.9	9.4	4.5	SELDOM SEEN	MOD / 2	1.	0.	1.
9.4	9.5	0.1	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.
9.5	11.4	1.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.
11.4	11.7	0.3	SELDOM SEEN	MOD / 2	1.	0.	1.
11.7	11.8	0.1	SELDOM SEEN	WEAK / 2	1.	0.	1.
Link 472.							
0.0	0.0	0.0	SELDOM SEEN	MOD / 2	1.	0.	1.
0.0	0.3	0.3	SELDOM SEEN	MOD / 3-5	1.	0.	1.
0.3	0.3	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
0.3	0.7	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.
0.7	0.7	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.
0.7	0.8	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
0.8	1.2	0.4	SELDOM SEEN	MOD / 2	1.	0.	1.
Link 473.							
0.0	0.0	0.0	SELDOM SEEN	STRONG/ 3-5	1.	0.	1.
0.0	0.1	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.
0.1	1.0	0.9	SELDOM SEEN	MOD / 3-5	1.	0.	1.
1.0	1.1	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.
1.1	1.1	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
1.1	1.2	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.
1.2	1.3	0.0	SELDOM SEEN	WEAK / 2	1.	0.	1.
1.3	1.3	0.1	SELDOM SEEN	MOD / 2	1.	0.	1.
1.3	1.4	0.1	SELDOM SEEN	MOD / 3-5	1.	0.	1.

MISSION STATEMENT

"The Bureau of Land Management is responsible for the balanced management of the Public Lands and resources and their various values so that they are considered in a combination that will best serve the needs of the American People. Management is based upon the principles of multiple-use and sustained yield; a combination of uses that takes into account the long term needs of future generations for renewable and non-renewable resources. These resources include recreation, range, timber, minerals, watershed, fish and wildlife, wilderness and natural, scenic, scientific and cultural values."

BLM-ID-PT-93-09-4410