


CATEGORICAL EXCLUSION DETERMINATION



**Proposed Action Title: Gore Pass-Hayden 138-kV Transmission Line
Structure 46/6 Replacement**

Location: Routt County, Colorado

Project Number: 2021-074

Expiration Date: December 31, 2022

A. PROPOSED ACTION DESCRIPTION:

Western Area Power Administration (WAPA), Rocky Mountain Region (RMR), proposes to replace existing Structure 46/6 on the Gore Pass-Hayden (GOT-HDN) 138-kV Transmission Line in Routt County, Colorado. The purpose of the project is to replace an existing wood structure that has been identified as structurally deficient. The new transmission structure will be 5 to 10 feet taller than the existing structure and have minor structural updates to meet current WAPA design standards, but will be visually similar to the existing structure. The full scope of the structure replacement will include removing the existing structure, auguring new structure holes, installing the new wood structure, backfilling the structure holes, and installing new hardware. Equipment used for this project may include bucket trucks, truck-mounted augers and cranes, skid-steer loaders, utility trucks, pole trailers, and equipment trailers. Work will be confined to WAPA's right-of-way (ROW) on private lands.

B. STIPULATIONS PERTAINING TO PROPOSAL:

- 1) If the scope of work of this project changes, RMR's Environment Department must be contacted to determine whether additional environmental review is required.
- 2) **This Categorical Exclusion expires on December 31, 2022.** If all project work has not been completed by the expiration date, or if the need for an environmental compliance extension is anticipated, RMR's Environment Department must be contacted for an updated environmental review.
- 3) **Maintenance crews must adhere to the following restrictions between March 1 and July 15 to minimize disturbance to breeding and nesting greater sage-grouse:**
 - a) From March 1 to May 15, work should only occur between the hours of 9 AM and 6 PM.
 - b) From May 15 to July 15, work should be avoided.
 - c) If work must occur between May 15 and July 15, contact RMR's Environment Department at least 30 days prior to initiation of the project to arrange for an on-site biological monitor to ensure avoidance of greater sage-grouse nesting activities.
- 4) Any injured or orphaned birds and all observed active nests must be immediately reported to the RMR Avian Protection Lead at (970) 593-8803. Any dead birds must be reported to the RMR Avian Protection Lead within twenty-four (24) hours of discovery. Additional documentation, such as photographs and GPS coordinates, may be requested to support RMR's reporting requirements to the U.S. Fish and Wildlife Service.

- 5) If any cultural resources are inadvertently discovered during implementation of the proposed action, work within 100 feet of the discovery area must halt immediately, and an RMR Archaeologist must be contacted immediately at (970) 302-4753 or (970) 286-3523. Work in the area of discovery must not resume until notification to proceed is provided by an RMR Archaeologist.
- 6) If any possible human remains are inadvertently discovered during implementation of the proposed action, work within 100 feet of the discovery area must halt immediately, and an RMR Archaeologist must be notified immediately at (970) 302-4753 or (970) 286-3523 (no later than 24 hours from the time of discovery). A reasonable effort must be made to protect the remains from looting and/or further damage. Work in the area of discovery must not resume until notification to proceed is provided by an RMR Archaeologist.
- 7) To prevent the transport of non-native and invasive plants and animals, including noxious weeds and aquatic nuisance species, work crews must thoroughly wash all vehicles and equipment (trailers, trucks, UTVs, etc.) before entering the action area and working on the project.
- 8) Activities involving the use of fuel, oil, hydraulic fluid, or other petroleum products must comply with RMR's Spill Response Plan (SRP).

C. NUMBER AND TITLE OF THE CATEGORICAL EXCLUSION BEING APPLIED:

(See text in 10 CFR 1021, Subpart D.)

B1.3 Routine maintenance

D. REGULATORY REQUIREMENTS 10 CFR 1021.410 (b): (See full text in regulation)

The proposed action fits within a class of actions that is listed in Appendix A or B of 10 CFR 1021.

To fit within the classes of actions listed in Appendix B, a proposal must be one that would not: (1) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of the Department of Energy (DOE) or Executive Orders; (2) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities; (3) disturb hazardous substances; pollutants; contaminants; or Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; (4) have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of 10 CFR 1021, Subpart D, Appendix B; (5) involve genetically engineered



organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements, such as those of the Department of Agriculture, the Environmental Protection Agency, and the National Institutes of Health.

There are no extraordinary circumstances related to the proposal that may affect the significance of the environmental effects of the proposal.

The proposal has not been improperly segmented, and the proposal is not connected to other actions with potentially significant impacts, is not related to other proposed actions with cumulatively significant impacts, and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211.

E. DETERMINATION:

Based on my review of information conveyed to me and in my possession (or attached) concerning the proposed action, as NEPA Compliance Officer (as authorized under DOE Order 451.1B), I have determined that the proposed action fits within the specified class(es) of action, the other regulatory requirements set forth above are met, and the proposed action is hereby categorically excluded from further NEPA review.

Signature and Date

James Wood
NEPA Compliance Officer
Rocky Mountain Region
Western Area Power Administration

Prepared by:
Andrea Severson, Environmental Protection Specialist
Brian Joseph, Archaeologist

