

**Grande Prairie Wind Farm
Holt County, NE**

**Viewshed Analysis
WTG's Visible from
Visitor Center**

0 1 2
Miles
1:126,720 (At 11x17)



Legend

- Observation Location for this Analysis
- Other Observation Locations
- Proposed Turbine Locations (20140212)
- Wind Turbine Visibility**
- Not Visible
- Visible
- Area Not Visible from Observation Point
- Area Visible from Observation Point


TECHNICAL SPECIFICATIONS:
THIS MAP SERIES SHOWS AREAS IN THE REGION WHERE SOME PORTION OF A 159 M TALL OBJECT COULD BE SEEN FROM THE OBSERVATION POINT.

EACH VIEWSHED WAS CALCULATED USING THE "OBSERVER POINTS" TOOL IN ARCGIS FOR DESKTOP 10.1 WITH THE 3D ANALYST AND SPATIAL ANALYST TOOLBOXES. THE OBSERVER POINT TOOL CALCULATES THE REGIONS THAT ARE VISIBLE FROM A PARTICULAR LOCATION. THE TOOL ALLOWS YOU TO SPECIFY AN OBSERVER HEIGHT AS WELL AS THE HEIGHT OF A TARGET.

FOR THIS ANALYSIS, OBSERVER HEIGHT WAS SET TO 2 M (INPUT OFFSET A), AND TARGET HEIGHT WAS SET TO 159 M (INPUT OFFSET B). THE INPUT TERRAIN UTILIZED THE 30 M DIGITAL ELEVATION MODEL FROM THE USGS NATIONAL ELEVATION DATASET. THE OPTIONAL "USE EARTH CURVATURE CORRECTIONS" WAS ENABLED, AND THE DEFAULT REFRACTIVITY COEFFICIENT OF 0.13 WAS USED.


	Initials	Date
Prepared by	CP	2014-03-12
Peer Review by	PM	2014-03-12
Final Review by	TV	2014-03-13

The information on this map has been compiled by Stantec staff from a variety of sources and is subject to change without notice. Stantec makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information.



**Grande Prairie Wind Farm
Holt County, NE**

**Viewshed Analysis
WTG's Visible from
Group Lodge**



- Legend**
- ▲ Observation Location for this Analysis
 - △ Other Observation Locations
 - Proposed Turbine Locations (20140212)
 - Not Visible
 - Visible
 - Area Not Visible from Observation Point
 - Area Visible from Observation Point


TECHNICAL SPECIFICATIONS:
THIS MAP SERIES SHOWS AREAS IN THE REGION WHERE SOME PORTION OF A 159 M TALL OBJECT COULD BE SEEN FROM THE OBSERVATION POINT.

EACH VIEWSHED WAS CALCULATED USING THE "OBSERVER POINTS" TOOL IN ARCGIS FOR DESKTOP 10.1 WITH THE 3D ANALYST AND SPATIAL ANALYST TOOLBOXES. THE OBSERVER POINT TOOL CALCULATES THE REGIONS THAT ARE VISIBLE FROM A PARTICULAR LOCATION. THE TOOL ALLOWS YOU TO SPECIFY AN OBSERVER HEIGHT AS WELL AS THE HEIGHT OF A TARGET.

FOR THIS ANALYSIS, OBSERVER HEIGHT WAS SET TO 2 M (INPUT OFFSET A), AND TARGET HEIGHT WAS SET TO 159 M (INPUT OFFSET B). THE INPUT TERRAIN UTILIZED THE 30 M DIGITAL ELEVATION MODEL FROM THE USGS NATIONAL ELEVATION DATASET. THE OPTIONAL "USE EARTH CURVATURE CORRECTIONS" WAS ENABLED, AND THE DEFAULT REFRACTIVITY COEFFICIENT OF 0.13 WAS USED.


	Initials	Date
Prepared by	CP	2014-03-12
Peer Review by	PM	2014-03-12
Final Review by	TV	2014-03-13

The information on this map has been compiled by Stantec staff from a variety of sources and is subject to change without notice. Stantec makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information.



**Grande Prairie Wind Farm
Holt County, NE**

**Viewshed Analysis
WTG's Visible from
Park Picnic Shelter**



- Legend**
- Observation Location for this Analysis
 - Other Observation Locations
 - Proposed Turbine Locations (20140212)**
 - Not Visible
 - Visible
 - Area Not Visible from Observation Point
 - Area Visible from Observation Point


TECHNICAL SPECIFICATIONS:
THIS MAP SERIES SHOWS AREAS IN THE REGION WHERE SOME PORTION OF A 159 M TALL OBJECT COULD BE SEEN FROM THE OBSERVATION POINT.

EACH VIEWSHED WAS CALCULATED USING THE "OBSERVER POINTS" TOOL IN ARCGIS FOR DESKTOP 10.1 WITH THE 3D ANALYST AND SPATIAL ANALYST TOOLBOXES. THE OBSERVER POINT TOOL CALCULATES THE REGIONS THAT ARE VISIBLE FROM A PARTICULAR LOCATION. THE TOOL ALLOWS YOU TO SPECIFY AN OBSERVER HEIGHT AS WELL AS THE HEIGHT OF A TARGET.

FOR THIS ANALYSIS, OBSERVER HEIGHT WAS SET TO 2 M (INPUT OFFSET A), AND TARGET HEIGHT WAS SET TO 159 M (INPUT OFFSET B). THE INPUT TERRAIN UTILIZED THE 30 M DIGITAL ELEVATION MODEL FROM THE USGS NATIONAL ELEVATION DATASET. THE OPTIONAL "USE EARTH CURVATURE CORRECTIONS" WAS ENABLED, AND THE DEFAULT REFRACTIVITY COEFFICIENT OF 0.13 WAS USED.


	Initials	Date
Prepared by	CP	2014-03-12
Peer Review by	PM	2014-03-12
Final Review by	TV	2014-03-13

The information on this map has been compiled by Stantec staff from a variety of sources and is subject to change without notice. Stantec makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information.



**Grande Prairie Wind Farm
Holt County, NE**

**Viewshed Analysis
WTG's Visible from
GPW PT 1**



Legend

- Observation Location for this Analysis
- Other Observation Locations
- Proposed Turbine Locations (20140212)**
- Not Visible
- Visible
- Area Not Visible from Observation Point
- Area Visible from Observation Point


TECHNICAL SPECIFICATIONS:
THIS MAP SERIES SHOWS AREAS IN THE REGION WHERE SOME PORTION OF A 159 M TALL OBJECT COULD BE SEEN FROM THE OBSERVATION POINT.

EACH VIEWSHED WAS CALCULATED USING THE "OBSERVER POINTS" TOOL IN ARCGIS FOR DESKTOP 10.1 WITH THE 3D ANALYST AND SPATIAL ANALYST TOOLBOXES. THE OBSERVER POINT TOOL CALCULATES THE REGIONS THAT ARE VISIBLE FROM A PARTICULAR LOCATION. THE TOOL ALLOWS YOU TO SPECIFY AN OBSERVER HEIGHT AS WELL AS THE HEIGHT OF A TARGET.

FOR THIS ANALYSIS, OBSERVER HEIGHT WAS SET TO 2 M (INPUT OFFSET A), AND TARGET HEIGHT WAS SET TO 159 M (INPUT OFFSET B). THE INPUT TERRAIN UTILIZED THE 30 M DIGITAL ELEVATION MODEL FROM THE USGS NATIONAL ELEVATION DATASET. THE OPTIONAL "USE EARTH CURVATURE CORRECTIONS" WAS ENABLED, AND THE DEFAULT REFRACTIVITY COEFFICIENT OF 0.13 WAS USED.

	Initials	Date
Prepared by	CP	2014-03-12
Peer Review by	PM	2014-03-12
Final Review by	TV	2014-03-13

The information on this map has been compiled by Stantec staff from a variety of sources and is subject to change without notice. Stantec makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information.



**Grande Prairie Wind Farm
Holt County, NE**

**Viewshed Analysis
WTG's Visible from
GPW PT 2**

0 1 2
Miles
1:126,720 (At 11x17)



Legend

- Observation Location for this Analysis
- Other Observation Locations
- Proposed Turbine Locations (20140212)**
- Not Visible
- Visible
- Area Not Visible from Observation Point
- Area Visible from Observation Point


TECHNICAL SPECIFICATIONS:
THIS MAP SERIES SHOWS AREAS IN THE REGION WHERE SOME PORTION OF A 159 M TALL OBJECT COULD BE SEEN FROM THE OBSERVATION POINT.

EACH VIEWSHED WAS CALCULATED USING THE "OBSERVER POINTS" TOOL IN ARCGIS FOR DESKTOP 10.1 WITH THE 3D ANALYST AND SPATIAL ANALYST TOOLBOXES. THE OBSERVER POINT TOOL CALCULATES THE REGIONS THAT ARE VISIBLE FROM A PARTICULAR LOCATION. THE TOOL ALLOWS YOU TO SPECIFY AN OBSERVER HEIGHT AS WELL AS THE HEIGHT OF A TARGET.

FOR THIS ANALYSIS, OBSERVER HEIGHT WAS SET TO 2 M (INPUT OFFSET A), AND TARGET HEIGHT WAS SET TO 159 M (INPUT OFFSET B). THE INPUT TERRAIN UTILIZED THE 30 M DIGITAL ELEVATION MODEL FROM THE USGS NATIONAL ELEVATION DATASET. THE OPTIONAL "USE EARTH CURVATURE CORRECTIONS" WAS ENABLED, AND THE DEFAULT REFRACTIVITY COEFFICIENT OF 0.13 WAS USED.

	Initials	Date
Prepared by	CP	2014-03-12
Peer Review by	PM	2014-03-12
Final Review by	TV	2014-03-13

The information on this map has been compiled by Stantec staff from a variety of sources and is subject to change without notice. Stantec makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information.



**Grande Prairie Wind Farm
Holt County, NE**

**Viewshed Analysis
WTG's Visible from
GPW PT 3**

0 1 2
Miles
1:126,720 (At 11x17)



Legend

- ▲ Observation Location for this Analysis
- ▲ Other Observation Locations
- Proposed Turbine Locations (20140212)**
- Not Visible
- Visible
- Area Not Visible from Observation Point
- Area Visible from Observation Point


TECHNICAL SPECIFICATIONS:
THIS MAP SERIES SHOWS AREAS IN THE REGION WHERE SOME PORTION OF A 159 M TALL OBJECT COULD BE SEEN FROM THE OBSERVATION POINT.

EACH VIEWSHED WAS CALCULATED USING THE "OBSERVER POINTS" TOOL IN ARCGIS FOR DESKTOP 10.1 WITH THE 3D ANALYST AND SPATIAL ANALYST TOOLBOXES. THE OBSERVER POINT TOOL CALCULATES THE REGIONS THAT ARE VISIBLE FROM A PARTICULAR LOCATION. THE TOOL ALLOWS YOU TO SPECIFY AN OBSERVER HEIGHT AS WELL AS THE HEIGHT OF A TARGET.

FOR THIS ANALYSIS, OBSERVER HEIGHT WAS SET TO 2 M (INPUT OFFSET A), AND TARGET HEIGHT WAS SET TO 159 M (INPUT OFFSET B). THE INPUT TERRAIN UTILIZED THE 30 M DIGITAL ELEVATION MODEL FROM THE USGS NATIONAL ELEVATION DATASET. THE OPTIONAL "USE EARTH CURVATURE CORRECTIONS" WAS ENABLED, AND THE DEFAULT REFRACTIVITY COEFFICIENT OF 0.13 WAS USED.

	Initials	Date
Prepared by	CP	2014-03-12
Peer Review by	PM	2014-03-12
Final Review by	TV	2014-03-13

The information on this map has been compiled by Stantec staff from a variety of sources and is subject to change without notice. Stantec makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information.



**Grande Prairie Wind Farm
Holt County, NE**

**Viewshed Analysis
WTG's Visible from
GPW PT 4**

0 1 2
Miles
1:126,720 (At 11x17)



Legend

- ▲ Observation Location for this Analysis
- △ Other Observation Locations
- Proposed Turbine Locations (20140212)
 - Not Visible
 - Visible
- Area Not Visible from Observation Point
- Area Visible from Observation Point


TECHNICAL SPECIFICATIONS:
THIS MAP SERIES SHOWS AREAS IN THE REGION WHERE SOME PORTION OF A 159 M TALL OBJECT COULD BE SEEN FROM THE OBSERVATION POINT.

EACH VIEWSHED WAS CALCULATED USING THE "OBSERVER POINTS" TOOL IN ARCGIS FOR DESKTOP 10.1 WITH THE 3D ANALYST AND SPATIAL ANALYST TOOLBOXES. THE OBSERVER POINT TOOL CALCULATES THE REGIONS THAT ARE VISIBLE FROM A PARTICULAR LOCATION. THE TOOL ALLOWS YOU TO SPECIFY AN OBSERVER HEIGHT AS WELL AS THE HEIGHT OF A TARGET.

FOR THIS ANALYSIS, OBSERVER HEIGHT WAS SET TO 2 M (INPUT OFFSET A), AND TARGET HEIGHT WAS SET TO 159 M (INPUT OFFSET B). THE INPUT TERRAIN UTILIZED THE 30 M DIGITAL ELEVATION MODEL FROM THE USGS NATIONAL ELEVATION DATASET. THE OPTIONAL "USE EARTH CURVATURE CORRECTIONS" WAS ENABLED, AND THE DEFAULT REFRACTIVITY COEFFICIENT OF 0.13 WAS USED.

	Initials	Date
Prepared by	CP	2014-03-12
Peer Review by	PM	2014-03-12
Final Review by	TV	2014-03-13

The information on this map has been compiled by Stantec staff from a variety of sources and is subject to change without notice. Stantec makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information.



**Grande Prairie Wind Farm
Holt County, NE**

**Viewshed Analysis
WTG's Visible from
GPW PT 5**

0 1 2
Miles
1:126,720 (At 11x17)



- Legend**
- ▲ Observation Location for this Analysis
 - △ Other Observation Locations
 - Proposed Turbine Locations (20140212)
 - Not Visible
 - Visible
 - Area Not Visible from Observation Point
 - Area Visible from Observation Point


TECHNICAL SPECIFICATIONS:
THIS MAP SERIES SHOWS AREAS IN THE REGION WHERE SOME PORTION OF A 159 M TALL OBJECT COULD BE SEEN FROM THE OBSERVATION POINT.

EACH VIEWSHED WAS CALCULATED USING THE "OBSERVER POINTS" TOOL IN ARCGIS FOR DESKTOP 10.1 WITH THE 3D ANALYST AND SPATIAL ANALYST TOOLBOXES. THE OBSERVER POINT TOOL CALCULATES THE REGIONS THAT ARE VISIBLE FROM A PARTICULAR LOCATION. THE TOOL ALLOWS YOU TO SPECIFY AN OBSERVER HEIGHT AS WELL AS THE HEIGHT OF A TARGET.

FOR THIS ANALYSIS, OBSERVER HEIGHT WAS SET TO 2 M (INPUT OFFSET A), AND TARGET HEIGHT WAS SET TO 159 M (INPUT OFFSET B). THE INPUT TERRAIN UTILIZED THE 30 M DIGITAL ELEVATION MODEL FROM THE USGS NATIONAL ELEVATION DATASET. THE OPTIONAL "USE EARTH CURVATURE CORRECTIONS" WAS ENABLED, AND THE DEFAULT REFRACTIVITY COEFFICIENT OF 0.13 WAS USED.


	Initials	Date
Prepared by	CP	2014-03-12
Peer Review by	PM	2014-03-12
Final Review by	TV	2014-03-13

The information on this map has been compiled by Stantec staff from a variety of sources and is subject to change without notice. Stantec makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information.



**Grande Prairie Wind Farm
Holt County, NE**

**Viewshed Analysis
WTG's Visible from
GPW PT 6**



- Legend**
- ▲ Observation Location for this Analysis
 - △ Other Observation Locations
 - Proposed Turbine Locations (20140212)
 - Not Visible
 - Visible
 - Area Not Visible from Observation Point
 - Area Visible from Observation Point


TECHNICAL SPECIFICATIONS:
THIS MAP SERIES SHOWS AREAS IN THE REGION WHERE SOME PORTION OF A 159 M TALL OBJECT COULD BE SEEN FROM THE OBSERVATION POINT.

EACH VIEWSHED WAS CALCULATED USING THE "OBSERVER POINTS" TOOL IN ARCGIS FOR DESKTOP 10.1 WITH THE 3D ANALYST AND SPATIAL ANALYST TOOLBOXES. THE OBSERVER POINT TOOL CALCULATES THE REGIONS THAT ARE VISIBLE FROM A PARTICULAR LOCATION. THE TOOL ALLOWS YOU TO SPECIFY AN OBSERVER HEIGHT AS WELL AS THE HEIGHT OF A TARGET.

FOR THIS ANALYSIS, OBSERVER HEIGHT WAS SET TO 2 M (INPUT OFFSET A), AND TARGET HEIGHT WAS SET TO 159 M (INPUT OFFSET B). THE INPUT TERRAIN UTILIZED THE 30 M DIGITAL ELEVATION MODEL FROM THE USGS NATIONAL ELEVATION DATASET. THE OPTIONAL "USE EARTH CURVATURE CORRECTIONS" WAS ENABLED, AND THE DEFAULT REFRACTIVITY COEFFICIENT OF 0.13 WAS USED.


	Initials	Date
Prepared by	CP	2014-03-12
Peer Review by	PM	2014-03-12
Final Review by	TV	2014-03-13

The information on this map has been compiled by Stantec staff from a variety of sources and is subject to change without notice. Stantec makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information.



**Grande Prairie Wind Farm
Holt County, NE**

**Viewshed Analysis
WTG's Visible from
GPW PT 7**



- Legend**
- ▲ Observation Location for this Analysis
 - △ Other Observation Locations
 - Proposed Turbine Locations (20140212)
 - Not Visible
 - Visible
 - Area Not Visible from Observation Point
 - Area Visible from Observation Point

TECHNICAL SPECIFICATIONS:
THIS MAP SERIES SHOWS AREAS IN THE REGION WHERE SOME PORTION OF A 159 M TALL OBJECT COULD BE SEEN FROM THE OBSERVATION POINT.

EACH VIEWSHED WAS CALCULATED USING THE "OBSERVER POINTS" TOOL IN ARCGIS FOR DESKTOP 10.1 WITH THE 3D ANALYST AND SPATIAL ANALYST TOOLBOXES. THE OBSERVER POINT TOOL CALCULATES THE REGIONS THAT ARE VISIBLE FROM A PARTICULAR LOCATION. THE TOOL ALLOWS YOU TO SPECIFY AN OBSERVER HEIGHT AS WELL AS THE HEIGHT OF A TARGET.

FOR THIS ANALYSIS, OBSERVER HEIGHT WAS SET TO 2 M (INPUT OFFSET A), AND TARGET HEIGHT WAS SET TO 159 M (INPUT OFFSET B). THE INPUT TERRAIN UTILIZED THE 30 M DIGITAL ELEVATION MODEL FROM THE USGS NATIONAL ELEVATION DATASET. THE OPTIONAL "USE EARTH CURVATURE CORRECTIONS" WAS ENABLED, AND THE DEFAULT REFRACTIVITY COEFFICIENT OF 0.13 WAS USED.

	Initials	Date
Prepared by	CP	2014-03-12
Peer Review by	PM	2014-03-12
Final Review by	TV	2014-03-13

The information on this map has been compiled by Stantec staff from a variety of sources and is subject to change without notice. Stantec makes no representations or warranties, express or implied, as to accuracy, completeness, timeliness, or rights to the use of such information.