

**Summer Season Attachment to Exhibit A - Monthly Capacity and Energy Table**

Center, CO (Town of)  
 Contract No. 87-LAO-161

**PROPOSED**  
 Pursuant to proposed Rate  
 Order WAPA-199. DSA  
 amounts based on 2021 July 24-  
 Month Study; subject to change

**CAPACITY (KW)**

	CROD	SHP	DSA	Minimum*	CDP**
April	1,006	554	384	181	
May	1,006	480	434	273	
June	1,006	498	451	218	
July	1,006	572	481	224	
August	1,006	551	503	234	
September	1,006	478	392	192	

**ENERGY (KWH)**

	Western Replacement Firming*			WRP On Peak (kWh)	WRP Off Peak (kWh)	WRP Total (Not to Exceed)
	SHP	DSA	Seasonal Request			
April	366,900	266,381	100,519			(457,939)
May	314,837	293,692	21,145			(454,772)
June	298,286	261,254	37,032			(463,066)
July	241,270	198,797	42,473			(549,667)
August	251,761	219,175	32,586			(529,289)
September	312,638	247,893	64,745			(476,427)

\*DSA is the deliverable service amount. It equals the amount of hydropower produced from the SLCA/IP facilities.

\*Western Replacement Firming (WRF) is a seasonal requested product. Customers selecting WRF will receive this additional energy assessed at market prices.

\*Customer elects to receive WRF and agrees to pay the associated monthly cost and may schedule to the SHP/AHP levels listed above.

Yes

\*Note: Customers not electing to receive WRF - hydropower schedules will be limited to DSA amounts listed above.

\*Minimum Capacity is the minimum to be scheduled in any hour. The minimum is calculated monthly, based on anticipated generation and water release patterns.

\*Minimum Capacity allocations for April, May, June, July, August and September are estimates and may be subject to change.

WRP Spot Market Yes  No

\*\*CDP customers shall provide the transmission path that they are requesting capacity on: \_\_\_\_\_

\*\*CDP Capacity available is the difference between SHP/AHP Capacity and the CROD in any hour.

Customer and Western agree to the SHP/AHP Capacity and SHP/AHP Energy, and WRP/CDP, as shown above.

Customer Concurrence: \_\_\_\_\_

Western Concurrence: \_\_\_\_\_