

Summer Season Attachment to Exhibit A - Monthly Capacity and Energy Table  
Attachment Administered by NTUA under Benefit Crediting Contract

Paiute Indian Tribe of Utah  
Contract No. 02-SLC-0470

**PROPOSED**  
Pursuant to proposed Rate  
Order WAPA-199. DSA  
amounts based on 2021 July 24-  
Month Study; subject to change

**CAPACITY (KW)**

	CROD	SHP	DSA	Minimum*	CDP**
April	158	77	53	28	
May	158	76	69	43	
June	158	78	71	34	
July	158	90	76	35	
August	158	87	79	37	
September	158	75	61	30	

**ENERGY (KWH)**

	Western Replacement Firming*			WRP On Peak (kWh)	WRP Off Peak (kWh)	WRP Total (Not to Exceed)
	SHP	DSA	Seasonal Request			
April	43,157	31,333	11,824			(82,427)
May	44,658	41,659	2,999			(75,893)
June	47,001	41,166	5,835			(72,594)
July	51,443	42,387	9,056			(75,165)
August	51,771	45,070	6,701			(72,482)
September	44,843	35,556	9,287			(78,204)

\*DSA is the deliverable service amount. It equals the amount of hydropower produced from the SLCA/IP facilities.

\*Western Replacement Firming (WRF) is a seasonal requested product. Customers selecting WRF will receive this additional energy assessed at market prices.

\*Customer elects to receive WRF and agrees to pay the associated monthly cost and may schedule to the SHP/AHP levels listed above.

Yes

\*Note: Customers not electing to receive WRF - hydropower schedules will be limited to DSA amounts listed above.

\*Minimum Capacity is the minimum to be scheduled in any hour. The minimum is calculated monthly, based on anticipated generation and water release patterns.

\*Minimum Capacity allocations for April, May, June, July, August and September are estimates and may be subject to change.

WRP Spot Market Yes  No

\*\*CDP customers shall provide the transmission path that they are requesting capacity on: \_\_\_\_\_

\*\*CDP Capacity available is the difference between SHP/AHP Capacity and the CROD in any hour.

Customer and Western agree to the SHP/AHP Capacity and SHP/AHP Energy, and WRF/CDP, as shown above.

Customer Concurrence: \_\_\_\_\_

Western Concurrence: \_\_\_\_\_