

**Winter Season Attachment to Exhibit A - Monthly Capacity and Energy Table
Attachment Administered by Tri-State under Benefit Crediting Contract**

**Pueblo of Pojoaque
Contract No. 02-SLC-0472**

PROPOSED
Pursuant to proposed Rate Order
WAPA-199. DSA amounts
based on 2021 July 24-Month
Study; subject to change

CAPACITY (KW)

	CROD	SHP	DSA	Minimum*	CDP**
October	271	143	74	38	
November	271	150	61	38	
December	271	168	75	45	
January	271	167	94	53	
February	271	164	89	55	
March	271	148	87	47	

ENERGY (KWH)

	SHP	DSA	Western Replacement Firming* Seasonal Request	WRP On Peak (kWh)	WRP Off Peak (kWh)	WRP Total (Not to Exceed)
October	80,723	51,390	29,333			(150,234)
November	82,710	42,796	39,914			(152,324)
December	92,266	49,519	42,747			(152,105)
January	93,674	57,338	36,336			(144,286)
February	82,943	50,920	32,023			(137,696)
March	85,587	55,032	30,555			(146,592)

*DSA is the deliverable service amount. It equals the amount of hydropower produced from the SLCA/IP facilities.

*Western Replacement Firming (WRF) is a seasonal requested product. Customers selecting WRF will receive this additional energy assessed at market prices.

*Customer elects to receive WRF and agrees to pay the associated monthly cost and may schedule to the SHP/AHP levels listed above.

Yes

*Note: Customers not electing to receive WRF - hydropower schedules will be limited to DSA amounts listed above.

*Minimum Capacity is the minimum to be scheduled in any hour. The minimum is calculated monthly, based on anticipated generation and water release patterns.

*Minimum Capacity allocations for October, November, December, January, February, and March are estimates and may be subject to change.

WRP Spot Market Yes No

**CDP customers shall provide the transmission path that they are requesting capacity on: _____

**CDP Capacity available is the difference between SHP/AHP Capacity and the CROD in any hour.

Customer and Western agree to the SHP/AHP Capacity and SHP/AHP Energy, and WRP/CDP, as shown above.

Customer Concurrence:

Western Concurrence:
